

2018 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

CCR LANDFILL MONTROSE GENERATING STATION CLINTON, MISSOURI

Presented To:
Kansas City Power & Light Company

SCS ENGINEERS

27213168.18 | January 2019, Revised December 20, 2022

8575 W 110th Street, Suite 100
Overland Park, Kansas 66210
913-681-0030

CERTIFICATIONS


I, John R. Rockhold, being a qualified groundwater scientist and Registered Geologist in the State of Missouri, do hereby certify that the 2018 Annual Groundwater Monitoring and Corrective Action Report for the CCR Landfill at the Montrose Generating Station was prepared by me or under my direct supervision and fulfills the requirements of 40 CFR 257.90(e).



John R. Rockhold, R.G.

SCS Engineers

I, Douglas L. Doerr, being a qualified licensed Professional Engineer in the State of Missouri, do hereby certify that the 2018 Annual Groundwater Monitoring and Corrective Action Report for the CCR Landfill at the Montrose Generating Station was prepared by me or under my direct supervision and fulfills the requirements of 40 CFR 257.90(e).



Douglas L. Doerr, P.E.

SCS Engineers

2018 Groundwater Monitoring and Corrective Action Report

Revision Number	Revision Date	Revision Section	Summary of Revisions
0	January 2019	NA	Original Report.
1	December 20, 2022	Addendum 1	Added Addendum 1

Table of Contents

Section	Page
CERTIFICATIONS.....	i
1 INTRODUCTION.....	1
2 § 257.90(e) ANNUAL REPORT REQUIREMENTS.....	1
2.1 § 257.90(e)(1) Site Map.....	1
2.2 § 257.90(e)(2) Monitoring System Changes.....	1
2.3 § 257.90(e)(3) Summary of Sampling Events.....	1
2.4 § 257.90(e)(4) Monitoring Transition Narrative.....	2
2.5 § 257.90(e)(5) Other Requirements.....	2
2.5.1 § 257.90(e) Program Status	2
2.5.2 § 257.94(d)(3) Demonstration for Alternative Detection Monitoring Frequency... 3	3
2.5.3 § 257.94(e)(2) Detection Monitoring Alternate Source Demonstration.....	3
2.5.4 § 257.95(c)(3) Demonstration for Alternative Assessment Monitoring Frequency	3
2.5.5 § 257.95(d)(3) Assessment Monitoring Concentrations and Groundwater Protection Standards	4
2.5.6 § 257.95(g)(3)(ii) Assessment Monitoring Alternate Source Demonstration	4
2.5.7 § 257.96(a) Demonstration for Additional Time for Assessment of Corrective Measures	4
3 GENERAL COMMENTS.....	4

Appendices

Appendix A Figures
Figure 1: Site Map

Appendix B Tables
Table 1: Appendix III Detection Monitoring Results
Table 2: Detection Monitoring Field Measurements

Addendum 1 2018 Annual Groundwater Monitoring and Corrective Action Report Addendum 1

1 INTRODUCTION

This 2018 Annual Groundwater Monitoring and Corrective Action Report was prepared to support compliance with the groundwater monitoring requirements of the “Coal Combustion Residuals (CCR) Final Rule” (Rule) published by the United States Environmental Protection Agency (USEPA) in the *Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule*, dated April 17, 2015 (USEPA, 2015). Specifically, this report was prepared to fulfill the requirements of 40 CFR 257.90 (e). The applicable sections of the Rule are provided below in *italics*, followed by applicable information relative to the 2018 Annual Groundwater Monitoring and Corrective Action Report for the CCR Landfill at the Montrose Generating Station.

2 § 257.90(E) ANNUAL REPORT REQUIREMENTS

Annual groundwater monitoring and corrective action report. For existing CCR landfills and existing CCR surface impoundments, no later than January 31, 2018, and annually thereafter, the owner or operator must prepare an annual groundwater monitoring and corrective action report. For new CCR landfills, new CCR surface impoundments, and all lateral expansions of CCR units, the owner or operator must prepare the initial annual groundwater monitoring and corrective action report no later than January 31 of the year following the calendar year a groundwater monitoring system has been established for such CCR unit as required by this subpart, and annually thereafter. For the preceding calendar year, the annual report must document the status of the groundwater monitoring and corrective action program for the CCR unit, summarize key actions completed, describe any problems encountered, discuss actions to resolve the problems, and project key activities for the upcoming year. For purposes of this section, the owner or operator has prepared the annual report when the report is placed in the facility’s operating record as required by § 257.105(h)(1). At a minimum, the annual groundwater monitoring and corrective action report must contain the following information, to the extent available:

2.1 § 257.90(E)(1) SITE MAP

A map, aerial image, or diagram showing the CCR unit and all background (or upgradient) and downgradient monitoring wells, to include the well identification numbers, that are part of the groundwater monitoring program for the CCR unit;

A site map with an aerial image showing the CCR Landfill and all background (or upgradient) and downgradient monitoring wells with identification numbers for the CCR Landfill groundwater monitoring program is provided as **Figure 1** in **Appendix A**.

2.2 § 257.90(E)(2) MONITORING SYSTEM CHANGES

Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a narrative description of why those actions were taken;

No new monitoring wells were installed and no wells were decommissioned as part of the CCR groundwater monitoring program for the CCR Landfill in 2018.

2.3 § 257.90(E)(3) SUMMARY OF SAMPLING EVENTS

In addition to all the monitoring data obtained under §§ 257.90 through 257.98, a summary including the number of groundwater samples that were collected for analysis for each background and

downgradient well, the dates the samples were collected, and whether the sample was required by the detection monitoring or assessment monitoring programs;

Only detection monitoring was conducted during the reporting period (2018). Samples collected in 2018 were collected and analyzed for Appendix III detection monitoring constituents as indicated in **Appendix B, Table 1** (Appendix III Detection Monitoring Results, and **Table 2** (Detection Monitoring Field Measurements). The dates of sample collection, the monitoring program requiring the sample, and the results of the analyses are also provided in these tables. These tables include both the Spring 2018 semiannual detection monitoring data and the Fall 2018 semiannual detection monitoring data.

2.4 § 257.90(E)(4) MONITORING TRANSITION NARRATIVE

A narrative discussion of any transition between monitoring programs (e.g., the date and circumstances for transitioning from detection monitoring to assessment monitoring in addition to identifying the constituent(s) detected at a statistically significant increase over background levels); and

There was no transition between monitoring programs in 2018. Only detection monitoring was conducted in 2018.

2.5 § 257.90(e)(5) OTHER REQUIREMENTS

Other information required to be included in the annual report as specified in §§ 257.90 through 257.98.

A summary of potentially required information and the corresponding section of the Rule is provided in the following sections. In addition, the information, if applicable, is provided.

2.5.1 § 257.90(e) Program Status

Status of Groundwater Monitoring and Corrective Action Program.

The groundwater monitoring and corrective action program is in detection monitoring.

Summary of Key Actions Completed.

- a. completion of the statistical evaluation of the initial Fall 2017 semiannual detection monitoring event per the certified statistical method,
- b. completion of the 2017 Annual Groundwater Monitoring and Corrective Action Report,
- c. completion of the Spring 2018 semiannual detection monitoring sampling and analysis event, and subsequent verification sampling per the certified statistical method,
- d. completion of the statistical evaluation of the Spring 2018 semiannual detection monitoring event per the certified statistical method, and
- e. initiation of the Fall 2018 semiannual detection monitoring sampling and analysis event.

Description of Any Problems Encountered.

No noteworthy problems were encountered.

Discussion of Actions to Resolve the Problems.

Not applicable because no noteworthy problems were encountered.

Projection of Key Activities for the Upcoming Year (2019).

Semiannual Spring and Fall 2019 groundwater sampling and analysis. Completion of verification sampling and analyses and statistical evaluation of Fall 2018 and Spring 2019 detection monitoring data and, if required, alternative source demonstration(s).

2.5.2 § 257.94(d)(3) Demonstration for Alternative Detection Monitoring Frequency

The owner or operator must obtain a certification from a qualified professional engineer or approval from the Participating State Director or approval from EPA where EPA is the permitting authority stating that the demonstration for an alternative groundwater sampling and analysis frequency meets the requirements of this section. The owner or operator must include the demonstration providing the basis for the alternative monitoring frequency and the certification by a qualified professional engineer or the approval from the Participating State Director or approval from EPA where EPA is the permitting authority in the annual groundwater monitoring and corrective action report required by § 257.90(e).

Not applicable because no alternative monitoring frequency for detection monitoring and certification was pursued.

2.5.3 § 257.94(e)(2) Detection Monitoring Alternate Source Demonstration

Demonstration that a source other than the CCR unit caused the statistically significant increase (SSI) over background levels for a constituent or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. In addition, certification of the demonstration is to be included in the annual report.

Not applicable because no such demonstration was conducted.

2.5.4 § 257.95(c)(3) Demonstration for Alternative Assessment Monitoring Frequency

The owner or operator must obtain a certification from a qualified professional engineer or approval from the Participating State Director or approval from EPA where EPA is the permitting authority stating that the demonstration for an alternative groundwater sampling and analysis frequency meets the requirements of this section. The owner or operator must include the demonstration providing the basis for the alternative monitoring frequency and the certification by a qualified professional engineer or the approval from the Participating State Director or the approval from EPA where EPA is the permitting authority in the annual groundwater monitoring and corrective action report required by § 257.90(e).

Not applicable because there was no assessment monitoring conducted.

2.5.5 § 257.95(d)(3) Assessment Monitoring Concentrations and Groundwater Protection Standards

Include the concentrations of Appendix III and detected Appendix IV constituents from the assessment monitoring, the established background concentrations, and the established groundwater protection standards.

Not applicable because there was no assessment monitoring conducted.

2.5.6 § 257.95(g)(3)(ii) Assessment Monitoring Alternate Source Demonstration

Demonstrate that a source other than the CCR unit caused the contamination, or that the statistically significant increase resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Any such demonstration must be supported by a report that includes the factual or evidentiary basis for any conclusions and must be certified to be accurate by a qualified professional engineer. If a successful demonstration is made, the owner or operator must continue monitoring in accordance with the assessment monitoring program pursuant to this section, and may return to detection monitoring if the constituents in appendices III and IV to this part are at or below background as specified in paragraph (e) of this section. The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer or the approval from the Participating State Director or approval from EPA where EPA is the permitting authority.

Not applicable because there was no assessment monitoring conducted.

2.5.7 § 257.96(a) Demonstration for Additional Time for Assessment of Corrective Measures

Within 90 days of finding that any constituent listed in appendix IV to this part has been detected at a statistically significant level exceeding the groundwater protection standard defined under § 257.95(h), or immediately upon detection of a release from a CCR unit, the owner or operator must initiate an assessment of corrective measures to prevent further releases, to remediate any releases and to restore affected area to original conditions. The assessment of corrective measures must be completed within 90 days, unless the owner or operator demonstrates the need for additional time to complete the assessment of corrective measures due to site-specific conditions or circumstances. The owner or operator must obtain a certification from a qualified professional engineer attesting that the demonstration is accurate. The 90-day deadline to complete the assessment of corrective measures may be extended for no longer than 60 days. The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer or the approval from the Participating State Director or approval from EPA where EPA is the permitting authority.

Not applicable because there was no assessment monitoring conducted.

3 GENERAL COMMENTS

This report has been prepared and reviewed under the direction of a qualified groundwater scientist and qualified professional engineer. The information contained in this report is a reflection of the conditions encountered at the Montrose Generating Station at the time of fieldwork. This report includes a review and compilation of the required information and does not reflect any variations of

2018 Groundwater Monitoring and Corrective Action Report

the subsurface, which may occur between sampling locations. Actual subsurface conditions may vary and the extent of such variations may not become evident without further investigation.

Conclusions drawn by others from the result of this work should recognize the limitation of the methods used. Please note that SCS Engineers does not warrant the work of regulatory agencies or other third parties supplying information used in the assimilation of this report. This report is prepared in accordance with generally accepted environmental engineering and geological practices, within the constraints of the client's directives. It is intended for the exclusive use of Kansas City Power & Light Company for specific application to the Montrose Generating Station CCR Landfill. No warranties, express or implied, are intended or made.

APPENDIX A

FIGURES

Figure 1: Site Map

N:\KCP\PROJECTS\GROUNDWATER\DWG\MONTROSE\2018\ANNUAL CCR REPORTING\FIGURE 1_MONT LF.DWG



- LEGEND:**
- PERMITTED SOLID WASTE FACILITY BOUNDARY (APPROXIMATE)
 - CCR LANDFILL UNIT BOUNDARY (APPROXIMATE)
 - ▲ MW-602 CCR GROUNDWATER MONITORING SYSTEM WELLS
 - ASH IMPOUNDMENT UNIT BOUNDARY (APPROXIMATE)

- NOTES:**
1. HORIZONTAL DATUM: MISSOURI STATE PLANE COORDINATE SYSTEM, WEST ZONE (NAD 83)
 2. VERTICAL DATUM: NAVD 88
 3. GOOGLE EARTH IMAGE DATED 10/20/2014. BOUNDARY AND MONITOR WELL LOCATIONS ARE APPROXIMATE.
 4. BOUNDARY AND MONITOR WELL LOCATIONS PROVIDED BY AECOM



CK BY							
REV.	DATE						
SHEET TITLE		SITE MAP CCR LANDFILL CCR GROUNDWATER MONITORING SYSTEM					
PROJECT TITLE		2018 GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT					
CLIENT		KANSAS CITY POWER & LIGHT COMPANY MONTRÖSE GENERATING STATION MONTRÖSE, MISSOURI					
SCS ENGINEERS		ENVIRONMENTAL CONSULTANTS AND CONTRACTORS					
8575 W. 110th St. Ste. 100 Overland Park, Kansas 66210 PH. (913) 881-0030 FAX. (913) 881-0012		DRW. BY: TCW		C/A RW BY: JRR		PROJ. MGR. JRR	
27213168.18		CHK. BY: JRR		PROJ. NO. JRR			
CADD FILE:		FIGURE 1_MONT LF.DWG					
DATE:		1/21/19					
FIGURE NO.		1					

APPENDIX B

TABLES

Table 1: Appendix III Detection Monitoring Results

Table 2: Detection Monitoring Field Measurements

Table 1
CCR Landfill
Appendix III Detection Monitoring Results
KCP&L Montrose Generating Station

Well Number	Sample Date	Appendix III Constituents						Total Dissolved Solids (mg/L)
		Boron (mg/L)	Calcium (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	pH (S.U.)	Sulfate (mg/L)	
MW-506	5/14/2018	<0.200	347	79.0	<0.100	5.61	1960	2560
MW-506	11/19/2018	<0.200	346	83.1	0.111	5.55	1680	2430
MW-601	5/14/2018	<0.200	453	55.0	0.483	5.64	3950	4760
MW-601	6/26/2018	---	---	---	---	**5.35	*3190	---
MW-601	11/19/2018	<0.200	456	49.6	0.42	5.48	3590	4100
MW-602	5/14/2018	4.39	340	4.14	0.113	5.63	1660	1970
MW-602	6/26/2018	---	---	---	---	**5.98	*1270	---
MW-602	11/19/2018	4.32	332	3.97	<0.100	5.98	1430	4900
MW-603	5/14/2018	5.94	426	7.16	0.727	4.45	2080	3110
MW-603	6/26/2018	---	---	---	*0.568	**4.44	---	---
MW-603	11/19/2018	5.56	423	6.76	0.645	4.48	2590	3160
MW-604	5/14/2018	4.35	421	12.3	0.506	5.70	2010	2820
MW-604	11/19/2018	4.36	420	13.3	0.453	5.75	2110	2320
MW-605	5/14/2018	1.73	412	47.8	0.226	5.48	2510	2550
MW-605	6/26/2018	---	---	---	---	**5.60	*1960	---
MW-605	11/19/2018	1.68	407	51.7	0.187	5.50	2260	2410

* Verification sample obtained per certified statistical method and Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance, March 2009.

**Extra Sample for Quality Control Validation or per Standard Sampling Procedure

mg/L - milligrams per liter

S.U. - Standard Units

--- Not Sampled

Table 2
CCR Landfill
Detection Monitoring Field Measurements
KCP&L Montrose Generating Station

Well Number	Sample Date	pH (S.U.)	Specific Conductivity (µS)	Temperature (°C)	Turbidity (NTU)	ORP (mV)	DO (mg/L)	Water Level (ft btoc)	Groundwater Elevation (ft NGVD)
MW-506	5/14/2018	5.61	2880	17.87	5.9	245	0.86	4.40	757.17
MW-506	11/19/2018	5.55	3120	16.25	4.4	245	0.62	7.95	753.62
MW-601	5/14/2018	5.64	4500	18.12	14.2	259	1.55	9.63	755.48
MW-601	6/26/2018	**5.35	4890	18.69	3.4	171	0.02	10.18	754.93
MW-601	11/19/2018	5.48	4770	13.79	7.3	193	1.70	12.43	752.68
MW-602	5/14/2018	5.63	2060	18.95	2.2	63	1.01	3.94	751.92
MW-602	6/26/2018	**5.98	2350	20.60	0.0	41	0.13	3.71	752.15
MW-602	11/19/2018	5.98	2180	14.12	5.7	79	0.33	4.53	751.33
MW-603	5/14/2018	4.45	3160	17.67	0.0	383	1.12	11.82	751.82
MW-603	6/26/2018	**4.44	3200	23.13	0.0	304	0.66	11.64	752.00
MW-603	11/19/2018	4.48	3420	15.62	4.2	382	0.98	12.03	751.61
MW-604	5/14/2018	5.70	2590	20.21	0.0	75	0.84	11.63	751.76
MW-604	11/19/2018	5.75	3040	15.00	2.0	199	1.68	11.87	751.52
MW-605	5/14/2018	5.48	2910	18.87	0.0	198	0.98	11.90	752.21
MW-605	6/26/2018	**5.60	3030	22.63	2.5	226	1.88	11.79	752.32
MW-605	11/19/2018	5.50	3240	14.57	3.1	144	0.00	12.23	751.88

**Extra Sample for Quality Control Validation or per Standard Sampling Procedure

S.U. - Standard Units

µS - microsiemens

°C - Degrees Celsius

ft btoc - Feet Below Top of Casing

ft NGVD - National Geodetic Vertical Datum (NAVD 88)

NTU - Nephelometric Turbidity Unit

ADDENDUM 1

2018 Annual Groundwater Monitoring and Corrective Action Report Addendum 1

December 20, 2022
File No. 27213168.18

To: Evergy Metro, Inc.
Jared Morrison – Director, Water and Waste Programs

From: SCS Engineers
Douglas L. Doerr, P.E.
John R. Rockhold, P.G.

Subject: 2018 Annual Groundwater Monitoring and Corrective Action Report Addendum 1
Evergy Metro, Inc.
CCR Landfill
Montrose Generating Station – Clinton, Missouri



The CCR Landfill at the Montrose Generating Station is subject to the groundwater monitoring and corrective action requirements of the “Coal Combustion Residuals (CCR) Final Rule” (Rule); as described in CFR 40 257.90 through CFR 40 257.98. An Annual Groundwater Monitoring and Corrective Action (GWMCA) Report documenting activities completed in 2018 for the CCR Landfill was completed and placed in the facility’s operating record on January 30, 2019, as required by the Rule. The Annual GWMCA report was to fulfill the requirements specified in 40 CFR 257.90(e).

This Addendum has been prepared to supplement the operating record in recognition of comments received by Evergy from the U.S. Environmental Protection Agency (USEPA) on January 11, 2022. In addition to the information listed in 40 CFR 257.90(e), the USEPA indicated in their comments that the GWMCA Report contain the following:

- Results of laboratory analysis of groundwater or other environmental media samples for 40 CFR 257 Appendix III and Appendix IV constituents or other constituents, such as those supporting characterization of site conditions that may ultimately affect a remedy.
- Required statistical analysis performed on laboratory analysis results; and
- Calculated groundwater flow rate and direction.

This information is not specifically referred to in 40 CFR 257.90(e) for inclusion in the GWMCA Reports; however, it is routinely collected, determined and maintained in Evergy’s files and is being provided in the attachments to this addendum.

The attachments to this addendum are as follows:

- Attachment 1 – Laboratory Analytical Reports:
Includes laboratory data packages with supporting information such as case narrative, sample and method summary, analytical results, quality control, and chain-of-custody documentation. The laboratory data packages for the following sampling events are provided:



- May 2018 – Spring 2018 semiannual detection monitoring sampling event.
- June 2018 – First verification sampling for the Spring 2018 detection monitoring sampling event.
- November 2018 - Fall 2018 semiannual detection monitoring sampling event.

- Attachment 2 - Statistical Analyses:

Includes summary of statistical results, prediction limit plots, prediction limit background data, detection sample results, first and second verification re-sample results (when applicable), extra sample results for pH (collected as part of the approved sampling procedures), input parameters, and a Prediction Limit summary table. Statistical analyses completed in 2018 included the following:

 - Fall 2017 semiannual detection monitoring statistical analyses.
 - Spring 2018 semiannual detection monitoring statistical analyses.

- Attachment 3 - Groundwater Potentiometric Surface Maps:

Includes groundwater potentiometric surface maps with the measured groundwater elevations at each well and the generalized groundwater flow direction and the calculated groundwater flow rate. Maps for the following sampling events are provided:

 - May 2018 - Spring 2018 semiannual detection monitoring sampling event.
 - November 2018 - Fall 2018 semiannual detection monitoring sampling event.

Jared Morrison
December 20, 2022

ATTACHMENT 1
Laboratory Analytical Reports

Jared Morrison
December 20, 2022

ATTACHMENT 1-1
May 2018 Sampling Event Laboratory Report

May 23, 2018

SCS Engineers - KS

Sample Delivery Group: L994384
Samples Received: 05/16/2018
Project Number: 27213168.18
Description: KCPL - Montrose Generating Station

Report To: Jason Franks
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Entire Report Reviewed By:



Jeff Carr
Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	1 Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	2 Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	3 Ss
MW-506 L994384-01	5	
DUPLICATE #1 L994384-02	6	4 Cn
Qc: Quality Control Summary	7	5 Sr
Gravimetric Analysis by Method 2540 C-2011	7	
Wet Chemistry by Method 9056A	8	6 Qc
Metals (ICP) by Method 6010B	11	
Gl: Glossary of Terms	13	7 Gl
Al: Accreditations & Locations	14	8 Al
Sc: Sample Chain of Custody	15	9 Sc

SAMPLE SUMMARY



MW-506 L994384-01 GW

Collected by: Whit Martin
 Collected date/time: 05/14/18 13:00
 Received date/time: 05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112349	1	05/17/18 16:45	05/17/18 17:24	MMF
Wet Chemistry by Method 9056A	WG1113079	1	05/18/18 21:26	05/18/18 21:26	MAJ
Wet Chemistry by Method 9056A	WG1113079	100	05/18/18 22:31	05/18/18 22:31	MAJ
Metals (ICP) by Method 6010B	WG1115027	1	05/23/18 10:35	05/23/18 11:36	CCE

1
Cp

2
Tc

3
Ss

4
Cn

DUPLICATE #1 L994384-02 GW

Collected by: Whit Martin
 Collected date/time: 05/14/18 00:00
 Received date/time: 05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112349	1	05/17/18 16:45	05/17/18 17:24	MMF
Wet Chemistry by Method 9056A	WG1113640	1	05/19/18 19:52	05/19/18 19:52	DR
Wet Chemistry by Method 9056A	WG1113640	100	05/19/18 20:08	05/19/18 20:08	DR
Metals (ICP) by Method 6010B	WG1112625	1	05/19/18 13:37	05/22/18 17:41	ST

5
Sr

6
Qc

7
Gl

8
Al

9
Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Technical Service Representative

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2560000		10000	1	05/17/2018 17:24	WG1112349

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	79000		1000	1	05/18/2018 21:26	WG1113079
Fluoride	ND		100	1	05/18/2018 21:26	WG1113079
Sulfate	1960000		500000	100	05/18/2018 22:31	WG1113079

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/23/2018 11:36	WG1115027
Calcium	347000	Q1V	1000	1	05/23/2018 11:36	WG1115027

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2310000		10000	1	05/17/2018 17:24	WG1112349

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	77500		1000	1	05/19/2018 19:52	WG1113640
Fluoride	ND		100	1	05/19/2018 19:52	WG1113640
Sulfate	2140000		500000	100	05/19/2018 20:08	WG1113640

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/22/2018 17:41	WG1112625
Calcium	350000		1000	1	05/22/2018 17:41	WG1112625

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3311344-1 05/17/18 17:24

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

1 Cp

2 Tc

3 Ss

L994384-02 Original Sample (OS) • Duplicate (DUP)

(OS) L994384-02 05/17/18 17:24 • (DUP) R3311344-4 05/17/18 17:24

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	2310000	2320000	1	0.433		5

4 Cn

5 Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3311344-2 05/17/18 17:24 • (LCSD) R3311344-3 05/17/18 17:24

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Dissolved Solids	8800000	8720000	8560000	99.1	97.3	85.0-115			1.85	5

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3311327-1 05/18/18 19:30

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	172	<u>J</u>	51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L994384-01 Original Sample (OS) • Duplicate (DUP)

(OS) L994384-01 05/18/18 21:26 • (DUP) R3311327-4 05/18/18 21:42

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	79000	79300	1	0.377		15
Fluoride	ND	99.4	1	0.000		15

L994384-01 Original Sample (OS) • Duplicate (DUP)

(OS) L994384-01 05/18/18 22:31 • (DUP) R3311327-7 05/18/18 22:47

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfate	1960000	2000000	100	1.82		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3311327-2 05/18/18 19:46 • (LCSD) R3311327-3 05/18/18 20:02

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	39300	39300	98.2	98.2	80.0-120			0.0102	15
Fluoride	8000	7860	7870	98.2	98.3	80.0-120			0.111	15
Sulfate	40000	39700	39700	99.2	99.2	80.0-120			0.00202	15

L994384-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L994384-01 05/18/18 21:26 • (MS) R3311327-5 05/18/18 21:58 • (MSD) R3311327-6 05/18/18 22:15

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	50000	79000	125000	126000	92.9	94.1	1	80.0-120	<u>E</u>	<u>E</u>	0.490	15
Fluoride	5000	ND	4680	5010	92.4	99.0	1	80.0-120			6.80	15



Method Blank (MB)

(MB) R3311379-1 05/19/18 07:31

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	208	U	51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L994251-01 Original Sample (OS) • Duplicate (DUP)

(OS) L994251-01 05/19/18 16:01 • (DUP) R3311379-4 05/19/18 16:16

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	4800	4760	1	0.956		15
Fluoride	ND	67.9	1	0.000		15
Sulfate	ND	3890	1	0.000		15

L994415-05 Original Sample (OS) • Duplicate (DUP)

(OS) L994415-05 05/19/18 22:57 • (DUP) R3311379-6 05/19/18 23:12

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	47800	47700	1	0.107		15
Fluoride	226	225	1	0.355		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3311379-2 05/19/18 07:46 • (LCSD) R3311379-3 05/19/18 08:02

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	39300	39200	98.3	97.9	80.0-120			0.377	15
Fluoride	8000	7790	7770	97.4	97.1	80.0-120			0.265	15
Sulfate	40000	39100	39100	97.7	97.7	80.0-120			0.0138	15

L994251-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L994251-01 05/19/18 16:01 • (MS) R3311379-5 05/19/18 16:32

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Chloride	50000	4800	55900	102	1	80.0-120	
Fluoride	5000	ND	5280	105	1	80.0-120	



L994251-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L994251-01 05/19/18 16:01 • (MS) R3311379-5 05/19/18 16:32

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Sulfate	50000	ND	54700	101	1	80.0-120	

L994415-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L994415-05 05/19/18 22:57 • (MS) R3311379-7 05/19/18 23:28 • (MSD) R3311379-8 05/19/18 23:43

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50000	47800	95600	95800	95.6	96.1	1	80.0-120			0.250	15
Fluoride	5000	226	4800	4840	91.6	92.3	1	80.0-120			0.742	15

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3312152-1 05/22/18 16:25

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Boron	U		12.6	200
Calcium	U		46.3	1000

1 Cp

2 Tc

3 Ss

4 Cn

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3312152-2 05/22/18 16:27 • (LCSD) R3312152-3 05/22/18 16:29

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Boron	1000	1030	1010	103	101	80.0-120			1.75	20
Calcium	10000	10200	10200	102	102	80.0-120			0.0543	20

5 Sr

6 Qc

L994376-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L994376-09 05/22/18 16:32 • (MS) R3312152-5 05/22/18 16:37 • (MSD) R3312152-6 05/22/18 16:40

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Boron	1000	ND	1180	1160	105	103	1	75.0-125			1.57	20
Calcium	10000	350000	358000	358000	76.0	76.2	1	75.0-125			0.00483	20

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3312355-1 05/23/18 11:26

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Boron	U		12.6	200
Calcium	U		46.3	1000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3312355-2 05/23/18 11:29 • (LCSD) R3312355-3 05/23/18 11:32

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Boron	1000	990	993	99.0	99.3	80.0-120			0.271	20
Calcium	10000	9950	9930	99.5	99.3	80.0-120			0.252	20

L994384-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L994384-01 05/23/18 11:36 • (MS) R3312355-5 05/23/18 11:42 • (MSD) R3312355-6 05/23/18 11:46

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Boron	1000	ND	1150	1120	102	99.1	1	75.0-125			2.35	20
Calcium	10000	347000	349000	350000	27.5	29.6	1	75.0-125	V	V	0.0591	20



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ESC Lab Sciences is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

ESC Lab Sciences has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. ESC Lab Sciences performs all testing at our central laboratory.



SCS Engineers - KS

7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Billing Information:

Accounts Payable
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 1

Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project
Description: **KCPL - Montrose Generating Station**

City/State
Collected: **Montrose, MO**

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213168.18

Lab Project #
AQUAOPKS-MONTROSE

Collected by (print):
Whit Martin

Site/Facility ID #

P.O. #

Collected by (signature):
Whit Martin

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

Std

Immediately Packed on Ice N Y X

No.
of
Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Anions (Cl, F, SO4)	B, Ca	TDS	125mIHDPE-NoPres	250mIHDPE-HNO3	250mIHDPE-NoPres
MW-506	Grab	GW	-	5/14/18	1300	3	X	X	X			
MW-506 MS #1	Grab	GW	-	5/14/18	1310	3	X	X	X			
MW-506 MSD #1	Grab	GW	-	5/14/18	1315	3	X	X	X			
DUPLICATE #1	Grab	GW	-	5/14/18	-	3	X	X	X			



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



L# **L994384**

Ta **E080**

Acctnum: **AQUAOPKS**

Template: **T135965**

Prelogin: **P652887**

TSR: **206 - Jeff Carr**

PB:

Shipped Via:

Remarks Sample # (lab only)

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:

UPS FedEx Courier

Tracking #

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N

Relinquished by: (Signature)
Jason R. Franks

Date: **5/15/18**

Time: **1335**

Received by: (Signature)
Thronchik Honyell

Trip Blank Received: Yes / No
HCL / MeOH
TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: **0.45** °C
Bottles Received: **12**

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)
mm-sto

Date: **5/16/18** Time: **1530**

Hold: Condition: **NCF / OK**

SCS Engineers - KS

Sample Delivery Group: L994415
Samples Received: 05/16/2018
Project Number: 27213168.18
Description: KCPL - Montrose Generating Station

Report To: Jason Franks
7311 West 130th Street, Ste. 100
Overland Park, KS 66213






Entire Report Reviewed By:



Jeff Carr
Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	5	
Sr: Sample Results	6	
MW-601 L994415-01	6	
MW-602 L994415-02	7	
MW-603 L994415-03	8	
MW-604 L994415-04	9	
MW-605 L994415-05	10	
MW-701 L994415-06	11	
MW-702 L994415-07	12	
MW-703 L994415-08	13	
MW-704 L994415-09	14	
MW-705 L994415-10	15	
MW-706 L994415-11	16	
DUPLICATE 2 L994415-12	17	
Qc: Quality Control Summary	18	
Gravimetric Analysis by Method 2540 C-2011	18	
Wet Chemistry by Method 9056A	19	
Metals (ICP) by Method 6010B	25	
Gl: Glossary of Terms	26	
Al: Accreditations & Locations	27	
Sc: Sample Chain of Custody	28	

SAMPLE SUMMARY



MW-601 L994415-01 GW

Collected by
Whit Martin Collected date/time
05/14/18 14:20 Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113640	1	05/19/18 20:23	05/19/18 20:23	DR
Wet Chemistry by Method 9056A	WG1113640	100	05/19/18 20:38	05/19/18 20:38	DR
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 13:55	ST

- 1
Cp
- 2
Tc
- 3
Ss
- 4
Cn
- 5
Sr
- 6
Qc
- 7
Gl
- 8
Al
- 9
Sc

MW-602 L994415-02 GW

Collected by
Whit Martin Collected date/time
05/14/18 10:55 Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113640	1	05/19/18 20:54	05/19/18 20:54	DR
Wet Chemistry by Method 9056A	WG1113640	100	05/19/18 21:09	05/19/18 21:09	DR
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 13:57	ST

MW-603 L994415-03 GW

Collected by
Whit Martin Collected date/time
05/14/18 11:45 Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113640	1	05/19/18 21:25	05/19/18 21:25	DR
Wet Chemistry by Method 9056A	WG1114103	100	05/21/18 17:39	05/21/18 17:39	DR
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:00	ST

MW-604 L994415-04 GW

Collected by
Whit Martin Collected date/time
05/14/18 12:15 Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113640	1	05/19/18 22:26	05/19/18 22:26	DR
Wet Chemistry by Method 9056A	WG1114103	100	05/21/18 17:54	05/21/18 17:54	DR
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:08	ST

MW-605 L994415-05 GW

Collected by
Whit Martin Collected date/time
05/14/18 12:50 Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113640	1	05/19/18 22:57	05/19/18 22:57	DR
Wet Chemistry by Method 9056A	WG1114103	100	05/21/18 18:10	05/21/18 18:10	DR
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 13:44	ST

MW-701 L994415-06 GW

Collected by
Whit Martin Collected date/time
05/14/18 11:00 Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113640	1	05/20/18 00:30	05/20/18 00:30	DR
Wet Chemistry by Method 9056A	WG1113640	100	05/20/18 01:16	05/20/18 01:16	DR
Wet Chemistry by Method 9056A	WG1114103	100	05/21/18 18:25	05/21/18 18:25	DR
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:11	ST

SAMPLE SUMMARY



MW-702 L994415-07 GW

Collected by
Whit Martin
Collected date/time
05/14/18 11:50
Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113640	1	05/20/18 01:31	05/20/18 01:31	DR
Wet Chemistry by Method 9056A	WG1113640	20	05/20/18 01:47	05/20/18 01:47	DR
Wet Chemistry by Method 9056A	WG1114103	100	05/21/18 18:41	05/21/18 18:41	DR
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:13	ST

1
Cp

2
Tc

3
Ss

4
Cn

MW-703 L994415-08 GW

Collected by
Whit Martin
Collected date/time
05/14/18 13:35
Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113080	1	05/20/18 12:00	05/20/18 12:00	MAJ
Wet Chemistry by Method 9056A	WG1113080	10	05/20/18 12:16	05/20/18 12:16	MAJ
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:16	ST

5
Sr

6
Qc

7
Gl

8
Al

MW-704 L994415-09 GW

Collected by
Whit Martin
Collected date/time
05/14/18 14:10
Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113080	1	05/20/18 12:31	05/20/18 12:31	MAJ
Wet Chemistry by Method 9056A	WG1113080	10	05/20/18 12:46	05/20/18 12:46	MAJ
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:19	ST

9
Sc

MW-705 L994415-10 GW

Collected by
Whit Martin
Collected date/time
05/14/18 14:45
Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113080	1	05/20/18 13:02	05/20/18 13:02	MAJ
Wet Chemistry by Method 9056A	WG1113080	10	05/20/18 13:48	05/20/18 13:48	MAJ
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:21	ST

MW-706 L994415-11 GW

Collected by
Whit Martin
Collected date/time
05/14/18 16:05
Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113080	1	05/20/18 14:03	05/20/18 14:03	MAJ
Wet Chemistry by Method 9056A	WG1114204	20	05/21/18 23:46	05/21/18 23:46	MAJ
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:24	ST

DUPLICATE 2 L994415-12 GW

Collected by
Whit Martin
Collected date/time
05/14/18 00:00
Received date/time
05/16/18 15:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1112350	1	05/17/18 17:47	05/17/18 18:22	BS
Wet Chemistry by Method 9056A	WG1113080	1	05/20/18 14:34	05/20/18 14:34	MAJ
Wet Chemistry by Method 9056A	WG1113080	100	05/20/18 14:50	05/20/18 14:50	MAJ
Metals (ICP) by Method 6010B	WG1112627	1	05/19/18 13:12	05/22/18 14:27	ST



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Technical Service Representative

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	4760000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	55000		1000	1	05/19/2018 20:23	WG1113640
Fluoride	483		100	1	05/19/2018 20:23	WG1113640
Sulfate	3950000		500000	100	05/19/2018 20:38	WG1113640

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/22/2018 13:55	WG1112627
Calcium	453000		1000	1	05/22/2018 13:55	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1970000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	4140		1000	1	05/19/2018 20:54	WG1113640
Fluoride	113		100	1	05/19/2018 20:54	WG1113640
Sulfate	1660000		500000	100	05/19/2018 21:09	WG1113640

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	4390		200	1	05/22/2018 13:57	WG1112627
Calcium	340000		1000	1	05/22/2018 13:57	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	3110000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	7160		1000	1	05/19/2018 21:25	WG1113640
Fluoride	727		100	1	05/19/2018 21:25	WG1113640
Sulfate	2080000		500000	100	05/21/2018 17:39	WG1114103

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	5940		200	1	05/22/2018 14:00	WG1112627
Calcium	426000		1000	1	05/22/2018 14:00	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2820000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	12300		1000	1	05/19/2018 22:26	WG1113640
Fluoride	506		100	1	05/19/2018 22:26	WG1113640
Sulfate	2010000		500000	100	05/21/2018 17:54	WG1114103

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	4350		200	1	05/22/2018 14:08	WG1112627
Calcium	421000		1000	1	05/22/2018 14:08	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2550000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	47800		1000	1	05/19/2018 22:57	WG1113640
Fluoride	226		100	1	05/19/2018 22:57	WG1113640
Sulfate	2510000		500000	100	05/21/2018 18:10	WG1114103

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	1730		200	1	05/22/2018 13:44	WG1112627
Calcium	412000	Q1V	1000	1	05/22/2018 13:44	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	3290000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	497000		100000	100	05/20/2018 01:16	WG1113640
Fluoride	1460		100	1	05/20/2018 00:30	WG1113640
Sulfate	2770000		500000	100	05/21/2018 18:25	WG1114103

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/22/2018 14:11	WG1112627
Calcium	424000		1000	1	05/22/2018 14:11	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2260000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	192000		20000	20	05/20/2018 01:47	WG1113640
Fluoride	220		100	1	05/20/2018 01:31	WG1113640
Sulfate	1790000		500000	100	05/21/2018 18:41	WG1114103

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/22/2018 14:13	WG1112627
Calcium	416000		1000	1	05/22/2018 14:13	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1480000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	16400		1000	1	05/20/2018 12:00	WG1113080
Fluoride	173		100	1	05/20/2018 12:00	WG1113080
Sulfate	892000		50000	10	05/20/2018 12:16	WG1113080

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/22/2018 14:16	WG1112627
Calcium	219000		1000	1	05/22/2018 14:16	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1150000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	3860		1000	1	05/20/2018 12:31	WG1113080
Fluoride	139		100	1	05/20/2018 12:31	WG1113080
Sulfate	726000		50000	10	05/20/2018 12:46	WG1113080

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/22/2018 14:19	WG1112627
Calcium	156000		1000	1	05/22/2018 14:19	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1080000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	13100		1000	1	05/20/2018 13:02	WG1113080
Fluoride	185		100	1	05/20/2018 13:02	WG1113080
Sulfate	594000		50000	10	05/20/2018 13:48	WG1113080

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/22/2018 14:21	WG1112627
Calcium	129000		1000	1	05/22/2018 14:21	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1730000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	29700		1000	1	05/20/2018 14:03	WG1113080
Fluoride	165		100	1	05/20/2018 14:03	WG1113080
Sulfate	1030000		100000	20	05/21/2018 23:46	WG1114204

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	219		200	1	05/22/2018 14:24	WG1112627
Calcium	273000		1000	1	05/22/2018 14:24	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2700000		10000	1	05/17/2018 18:22	WG1112350

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	48200		1000	1	05/20/2018 14:34	WG1113080
Fluoride	217		100	1	05/20/2018 14:34	WG1113080
Sulfate	1870000		500000	100	05/20/2018 14:50	WG1113080

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	1760		200	1	05/22/2018 14:27	WG1112627
Calcium	416000		1000	1	05/22/2018 14:27	WG1112627

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3311337-1 05/17/18 18:22

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

L994415-01 Original Sample (OS) • Duplicate (DUP)

(OS) L994415-01 05/17/18 18:22 • (DUP) R3311337-4 05/17/18 18:22

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	4760000	4550000	1	4.62		5

L994415-02 Original Sample (OS) • Duplicate (DUP)

(OS) L994415-02 05/17/18 18:22 • (DUP) R3311337-5 05/17/18 18:22

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	1970000	1920000	1	2.31		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3311337-2 05/17/18 18:22 • (LCSD) R3311337-3 05/17/18 18:22

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Dissolved Solids	8800000	8610000	8750000	97.8	99.4	85.0-115			1.61	5



Method Blank (MB)

(MB) R3311589-1 05/19/18 12:38

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	U		51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L993751-01 Original Sample (OS) • Duplicate (DUP)

(OS) L993751-01 05/20/18 08:09 • (DUP) R3311589-4 05/20/18 08:24

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	19400	19500	1	0.382		15
Fluoride	558	554	1	0.720		15
Sulfate	14000	14000	1	0.152		15

L994028-02 Original Sample (OS) • Duplicate (DUP)

(OS) L994028-02 05/20/18 10:58 • (DUP) R3311589-7 05/20/18 11:14

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	32800	33100	1	0.827		15
Fluoride	8010	8210	1	2.50		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3311589-2 05/19/18 12:54 • (LCSD) R3311589-3 05/19/18 13:09

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	39200	39100	98.1	97.8	80.0-120			0.271	15
Fluoride	8000	7970	7930	99.6	99.1	80.0-120			0.521	15
Sulfate	40000	38900	38800	97.2	97.1	80.0-120			0.0726	15

L993751-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L993751-01 05/20/18 08:09 • (MS) R3311589-5 05/20/18 08:40 • (MSD) R3311589-6 05/20/18 08:55

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	50000	19400	73400	69900	108	101	1	80.0-120			4.94	15
Fluoride	5000	558	5420	5680	97.2	103	1	80.0-120			4.77	15



L993751-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L993751-01 05/20/18 08:09 • (MS) R3311589-5 05/20/18 08:40 • (MSD) R3311589-6 05/20/18 08:55

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Sulfate	50000	14000	64200	64700	100	101	1	80.0-120			0.671	15

L994028-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L994028-02 05/20/18 10:58 • (MS) R3311589-8 05/20/18 11:29

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50000	32800	87000	108	1	80.0-120	
Fluoride	5000	8010	12700	93.3	1	80.0-120	E

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3311379-1 05/19/18 07:31

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	208	↓	51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L994251-01 Original Sample (OS) • Duplicate (DUP)

(OS) L994251-01 05/19/18 16:01 • (DUP) R3311379-4 05/19/18 16:16

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	4800	4760	1	0.956		15
Fluoride	ND	67.9	1	0.000		15
Sulfate	ND	3890	1	0.000		15

L994415-05 Original Sample (OS) • Duplicate (DUP)

(OS) L994415-05 05/19/18 22:57 • (DUP) R3311379-6 05/19/18 23:12

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	47800	47700	1	0.107		15
Fluoride	226	225	1	0.355		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3311379-2 05/19/18 07:46 • (LCSD) R3311379-3 05/19/18 08:02

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	39300	39200	98.3	97.9	80.0-120			0.377	15
Fluoride	8000	7790	7770	97.4	97.1	80.0-120			0.265	15
Sulfate	40000	39100	39100	97.7	97.7	80.0-120			0.0138	15

L994251-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L994251-01 05/19/18 16:01 • (MS) R3311379-5 05/19/18 16:32

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Chloride	50000	4800	55900	102	1	80.0-120	
Fluoride	5000	ND	5280	105	1	80.0-120	



L994251-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L994251-01 05/19/18 16:01 • (MS) R3311379-5 05/19/18 16:32

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Sulfate	50000	ND	54700	101	1	80.0-120	

L994415-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L994415-05 05/19/18 22:57 • (MS) R3311379-7 05/19/18 23:28 • (MSD) R3311379-8 05/19/18 23:43

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50000	47800	95600	95800	95.6	96.1	1	80.0-120			0.250	15
Fluoride	5000	226	4800	4840	91.6	92.3	1	80.0-120			0.742	15

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3311697-1 05/21/18 13:17

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Sulfate	305	↓	77.4	5000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L994396-01 Original Sample (OS) • Duplicate (DUP)

(OS) L994396-01 05/21/18 16:53 • (DUP) R3311697-4 05/21/18 17:08

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfate	13600	13400	1	1.82		15

L994928-01 Original Sample (OS) • Duplicate (DUP)

(OS) L994928-01 05/21/18 19:58 • (DUP) R3311697-6 05/21/18 20:13

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfate	45200	45100	1	0.217		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3311697-2 05/21/18 13:32 • (LCSD) R3311697-3 05/21/18 13:48

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Sulfate	40000	40600	40500	101	101	80.0-120			0.0666	15

L994396-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L994396-01 05/21/18 16:53 • (MS) R3311697-5 05/21/18 17:24

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Sulfate	50000	13600	60900	94.6	1	80.0-120	

L994928-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L994928-01 05/21/18 19:58 • (MS) R3311697-7 05/21/18 20:29 • (MSD) R3311697-8 05/21/18 20:44

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Sulfate	50000	45200	92400	92300	94.4	94.2	1	80.0-120			0.148	15



Method Blank (MB)

(MB) R3311873-1 05/21/18 14:05

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Sulfate	U		77.4	5000

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3311873-2 05/21/18 14:20 • (LCSD) R3311873-3 05/21/18 14:36

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Sulfate	40000	39000	38900	97.4	97.2	80.0-120			0.217	15

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc



Method Blank (MB)

(MB) R3312154-6 05/22/18 19:45

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Boron	U		12.6	200
Calcium	U		46.3	1000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3312154-1 05/22/18 13:39 • (LCSD) R3312154-2 05/22/18 13:42

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Boron	1000	984	998	98.4	99.8	80.0-120			1.41	20
Calcium	10000	9810	9880	98.1	98.8	80.0-120			0.637	20

L994415-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L994415-05 05/22/18 13:44 • (MS) R3312154-4 05/22/18 13:49 • (MSD) R3312154-5 05/22/18 13:52

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Boron	1000	1730	2710	2700	97.9	97.6	1	75.0-125			0.0968	20
Calcium	10000	412000	416000	415000	42.6	30.8	1	75.0-125	V	V	0.284	20



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ESC Lab Sciences is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

ESC Lab Sciences has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. ESC Lab Sciences performs all testing at our central laboratory.



SCS Engineers - KS

7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Billing Information:
Accounts Payable
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 2



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project
Description: **KCPL - Montrose Generating Station**

City/State
Collected: **Montrose, MO**

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213168.18

Lab Project #
AQUAOPKS-MONTROSE

Collected by (print):
Whit Martin

Site/Facility ID #

P.O. #

Collected by (signature):
Whit Martin

Rush? (Lab MUST Be Notified)

Quote #

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Date Results Needed

Std

No.
of

Immediately
Packed on Ice N Y X

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs	Anions (Cl ⁻ , F ⁻ , SO ₄ ²⁻)	125mIHDPE-NoPres	B, Ca - 6010 250mIHDPE-HNO3	TDS 250mIHDPE-NoPres	Remarks	Sample # (lab only)
MW-601	Grab	GW	-	5/14/18	1420	3	X	X	X			01
MW-602	Grab	GW	-	5/14/18	1055	3	X	X	X			02
MW-603	Grab	GW	-	5/14/18	1145	3	X	X	X			03
MW-604	Grab	GW	-	5/14/18	1215	3	X	X	X			04
MW-605	Grab	GW	-	5/14/18	1250	3	X	X	X			05
MW-701	Grab	GW	-	5/14/18	1100	3	X	X	X			06
MW-702	Grab	GW	-	5/14/18	1150	3	X	X	X			07
MW-703	Grab	GW	-	5/14/18	1335	3	X	X	X			08
MW-704	Grab	GW	-	5/14/18	1410	3	X	X	X			09
MW-705	Grab	GW	-	5/14/18	1445	3	X	X	X			10

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier

Tracking #

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist
COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Trip Blank Received: Yes / No

HCL / MeOH
TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: °C Bottles Received:

64.1 °C 42

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date:

Time:

Hold:

Condition:

NCF / (OK)

Jason K Franks

5/15/18

1335

Therese K Haggott

[Signature]

5/16/18

1530

SCS Engineers - KS

7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Billing Information:
Accounts Payable
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 2 of 2



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



L #

Table #

Acctnum: AQUAOPKS

Template: T135966

Prelogin: P652888

TSR: 206 - Jeff Carr

PB:

Shipped Via:

Remarks Sample # (lab only)

Report to:
Jason Franks
Project Description: **KCPL - Montrose Generating Station**

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

City/State
Collected: **Montrose, MO**

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213168.18

Lab Project #
AQUAOPKS-MONTROSE

Collected by (print):
Whit Martin

Site/Facility ID #

P.O. #

Collected by (signature):
Whit Martin

Rush? (Lab MUST Be Notified)

Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three Day

Quote #

Date Results Needed

Std

No.
of
Cnts

Immediately Packed on Ice N Y

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Analysis	Container	Preservative	Remarks	Sample # (lab only)
MW-706	Grab	GW		5/14/18	1605	3	X	X	X		11
605 MS#2	Grab	GW		5/14/18	1300	3	X	X	X		05
605 MSD#2	Grab	GW		5/14/18	1305	3	X	X	X		05
DUPLICATE #2	Grab	GW		5/14/18	—	3	X	X	X		12

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N

Samples returned via:
UPS FedEx Courier

Tracking #

Received by: (Signature)

Trip Blank Received: Yes/No
HCL/ MeOH
TBR

Received by: (Signature)

Temp: 0.415 °C
Bottles Received: 42

If preservation required by Login: Date/Time

Received for lab by: (Signature)

Date: 5/16/18
Time: 1530

Hold:

Condition:
NCF /

Relinquished by: (Signature)

Date: 5/15/18
Time: 1335

Relinquished by: (Signature)

Date:

Relinquished by: (Signature)

Date:

Time:

Time:

Time:

Jared Morrison
December 20, 2022

ATTACHMENT 1-2
June 2018 Sampling Event Laboratory Report

July 10, 2018

SCS Engineers - KS

Sample Delivery Group: L1005335
Samples Received: 06/28/2018
Project Number: 27213168.18
Description: KCPL - Montrose Generating Station

Report To: Jason Franks
7311 West 130th Street, Ste. 100
Overland Park, KS 66213










Entire Report Reviewed By:



Jason Romer
Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
MW-601 L1005335-01	5	
MW-602 L1005335-02	6	
MW-603 L1005335-03	7	
MW-605 L1005335-04	8	
MW-701 L1005335-05	9	
DUPLICATE L1005335-06	10	
Qc: Quality Control Summary	11	
Wet Chemistry by Method 9056A	11	
Gl: Glossary of Terms	14	
Al: Accreditations & Locations	15	
Sc: Sample Chain of Custody	16	

SAMPLE SUMMARY



MW-601 L1005335-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1135360	50	07/09/18 14:58	07/09/18 14:58	DR

Collected by Whit Martin
 Collected date/time 06/26/18 11:45
 Received date/time 06/28/18 08:45



MW-602 L1005335-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1135360	50	07/09/18 15:13	07/09/18 15:13	DR

Collected by Whit Martin
 Collected date/time 06/26/18 13:10
 Received date/time 06/28/18 08:45



MW-603 L1005335-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133124	1	07/04/18 03:17	07/04/18 03:17	MCG

Collected by Whit Martin
 Collected date/time 06/26/18 13:45
 Received date/time 06/28/18 08:45



MW-605 L1005335-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1135360	50	07/09/18 15:28	07/09/18 15:28	DR

Collected by Whit Martin
 Collected date/time 06/26/18 14:15
 Received date/time 06/28/18 08:45



MW-701 L1005335-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133124	1	07/04/18 03:54	07/04/18 03:54	MCG
Wet Chemistry by Method 9056A	WG1135360	50	07/09/18 15:44	07/09/18 15:44	DR

Collected by Whit Martin
 Collected date/time 06/26/18 12:25
 Received date/time 06/28/18 08:45

DUPLICATE L1005335-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133124	1	07/04/18 05:43	07/04/18 05:43	MCG
Wet Chemistry by Method 9056A	WG1135360	50	07/09/18 15:59	07/09/18 15:59	DR

Collected by Whit Martin
 Collected date/time 06/26/18 00:00
 Received date/time 06/28/18 08:45



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jason Romer
Technical Service Representative

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Sulfate	3190000		250000	50	07/09/2018 14:58	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Sulfate	1270000		250000	50	07/09/2018 15:13	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Fluoride	568		100	1	07/04/2018 03:17	WG1133124

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Sulfate	1960000		250000	50	07/09/2018 15:28	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Fluoride	1330		100	1	07/04/2018 03:54	WG1133124
Sulfate	1970000		250000	50	07/09/2018 15:44	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Fluoride	1380		100	1	07/04/2018 05:43	WG1133124
Sulfate	1950000		250000	50	07/09/2018 15:59	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3323295-1 07/03/18 19:25

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Fluoride	11.2	↓	9.90	100

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L1005331-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1005331-02 07/04/18 00:34 • (DUP) R3323295-4 07/04/18 01:28

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Fluoride	320	363	1	12.5		15

L1005344-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1005344-04 07/04/18 07:14 • (DUP) R3323295-9 07/04/18 07:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Fluoride	135	140	1	3.72		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3323295-2 07/03/18 19:43 • (LCSD) R3323295-3 07/03/18 20:01

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Fluoride	8000	7860	7850	98.2	98.2	80.0-120			0.0636	15

L1005331-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005331-02 07/04/18 00:34 • (MS) R3323295-5 07/04/18 01:47 • (MSD) R3323295-6 07/04/18 02:05

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Fluoride	5000	320	5400	5580	102	105	1	80.0-120			3.13	15

L1005335-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005335-05 07/04/18 03:54 • (MS) R3323295-7 07/04/18 05:06 • (MSD) R3323295-8 07/04/18 05:25

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Fluoride	5000	1330	6520	7080	104	115	1	80.0-120			8.29	15



L1005344-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-04 07/04/18 07:14 • (MS) R3323295-10 07/04/18 07:50 • (MSD) R3323295-11 07/04/18 08:44

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Fluoride	5000	135	5160	5310	101	104	1	80.0-120			2.83	15

L1005344-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-06 07/04/18 09:21 • (MS) R3323295-12 07/04/18 09:39 • (MSD) R3323295-13 07/04/18 09:57

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Fluoride	5000	318	5210	5510	97.9	104	1	80.0-120			5.50	15

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3324204-1 07/09/18 12:23

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Sulfate	U		77.4	5000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1005344-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1005344-04 07/09/18 17:16 • (DUP) R3324204-4 07/09/18 17:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfate	31800	31900	1	0.119		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3324204-9 07/09/18 22:18 • (LCSD) R3324204-3 07/09/18 12:54

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Sulfate	40000	39100	38900	97.8	97.3	80.0-120			0.522	15

L1005344-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-04 07/09/18 17:16 • (MS) R3324204-5 07/09/18 17:47 • (MSD) R3324204-6 07/09/18 18:03

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Sulfate	50000	31800	78500	78300	93.3	93.0	1	80.0-120			0.204	15



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
---	---



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SCS Engineers - KS
 7311 West 130th Street, Ste. 100
 Overland Park, KS 66213

Billing Information:
Accounts Payable
 7311 West 130th Street, Ste. 100
 Overland Park, KS 66213

Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project
 Description: **KCPL - Montrose Generating Station**

City/State
 Collected: **Montrose, MO**

Phone: **913-681-0030**
 Fax: **913-681-0012**

Client Project #
27213168.18

Lab Project #
AQUAOPKS-MONTROSE

Collected by (print):
Whit Martin

Site/Facility ID #

P.O. #

Collected by (signature):
Whit Martin

Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day


Quote #
 Date Results Needed
Std

Immediately Packed on Ice N Y X

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
MW-601	Grab	GW		6/26/18	1145	1
MW-602	Grab	GW		6/26/18	1310	1
MW-603	Grab	GW		6/26/18	1345	1 X
MW-605	Grab	GW		6/26/18	1415	1 X
MW-701	Grab	GW		6/26/18	1225	1 X
DUPLICATE	Grab	GW		6/26/18	-	1 X
MW-70 MS/MSD	Grab	GW		6/26/18	1230 <i>4px</i>	1 X

Analysis / Container / Preservative									
Fluoride	125mIHDPE-NoPres								
Fluoride, SO4	125mIHDPE-NoPres								
SO4	125mIHDPE-NoPres								

Chain of Custody Page 1 of 1



12065 Lebanon Rd
 Mount Juliet, TN 37122
 Phone: 615-758-5858
 Phone: 800-767-5859
 Fax: 615-758-5859



L # **L1005335**
 T# **A002**

Acctnum: **AQUAOPKS**
 Template: **T135965**
 Prelogin: **P659507**
 TSR: **206 - Jeff Carr**
 PB:

Shipped Via:

Remarks	Sample # (lab only)
	-01
	-02
	-03
	-04
	-05
	-06
	-05

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other _____

Remarks:

Samples returned via:
 UPS FedEx Courier _____

Tracking # **43616233 8672**

pH _____ Temp _____
 Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact:	NP	Y	N
COC Signed/Accurate:		Y	N
Bottles arrive intact:		Y	N
Correct bottles used:		Y	N
Sufficient volume sent:		Y	N
If Applicable			
VOA: Zero Headspace:		Y	N
Preservation Correct/Checked:		Y	N

Relinquished by: (Signature)
Whit Martin

Date: **6/27/18**

Time: **0800**

Received by: (Signature)
Jeff Carr

Received by: (Signature)
[Signature]

Trip Blank Received: Yes No
 HCL / MeOH
 TBR

Temp: **3.7** °C
 Bottles Received: **8**

Date: **6/28/18**

Time: **845**

If preservation required by Login: Date/Time

Hold:

Condition:
 NCF / OK

Jared Morrison
December 20, 2022

ATTACHMENT 1-3
November 2018 Sampling Event Laboratory Report

November 29, 2018

SCS Engineers - KS

Sample Delivery Group: L1046769
Samples Received: 11/21/2018
Project Number: 27213168.18
Description: KCPL - Montrose Generating Station

Report To: Jason Franks
8575 W. 110th Street
Overland Park, KS 66210









Entire Report Reviewed By:



Jeff Carr
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	5	
Sr: Sample Results	6	
MW-601 L1046769-01	6	
MW-602 L1046769-02	7	
MW-603 L1046769-03	8	
MW-604 L1046769-04	9	
MW-605 L1046769-05	10	
MW-701 L1046769-06	11	
MW-702 L1046769-07	12	
MW-703 L1046769-08	13	
MW-704 L1046769-09	14	
MW-705 L1046769-10	15	
MW-706 L1046769-11	16	
DUPLICATE L1046769-12	17	
Qc: Quality Control Summary	18	
Gravimetric Analysis by Method 2540 C-2011	18	
Wet Chemistry by Method 9056A	21	
Metals (ICP) by Method 6010B	25	
Gl: Glossary of Terms	26	
Al: Accreditations & Locations	27	
Sc: Sample Chain of Custody	28	

SAMPLE SUMMARY



MW-601 L1046769-01 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 11:45
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200497	1	11/26/18 16:10	11/26/18 16:36	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 00:38	11/28/18 00:38	ELN
Wet Chemistry by Method 9056A	WG1201630	100	11/28/18 00:54	11/28/18 00:54	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 09:20	CCE

1
Cp

2
Tc

3
Ss

4
Cn

MW-602 L1046769-02 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 14:30
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 01:09	11/28/18 01:09	ELN
Wet Chemistry by Method 9056A	WG1201630	50	11/28/18 01:25	11/28/18 01:25	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 09:23	CCE

5
Sr

6
Qc

7
Gl

MW-603 L1046769-03 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 14:20
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 01:40	11/28/18 01:40	ELN
Wet Chemistry by Method 9056A	WG1201630	50	11/28/18 01:56	11/28/18 01:56	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 09:26	CCE

8
Al

9
Sc

MW-604 L1046769-04 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 15:00
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 02:42	11/28/18 02:42	ELN
Wet Chemistry by Method 9056A	WG1201630	50	11/28/18 02:57	11/28/18 02:57	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 09:29	CCE

MW-605 L1046769-05 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 15:05
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 03:13	11/28/18 03:13	ELN
Wet Chemistry by Method 9056A	WG1201630	50	11/28/18 03:28	11/28/18 03:28	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 09:32	CCE

MW-701 L1046769-06 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 13:40
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 03:43	11/28/18 03:43	ELN
Wet Chemistry by Method 9056A	WG1201630	50	11/28/18 03:59	11/28/18 03:59	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 09:35	CCE

SAMPLE SUMMARY



MW-702 L1046769-07 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 13:05
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 04:14	11/28/18 04:14	ELN
Wet Chemistry by Method 9056A	WG1201630	50	11/28/18 04:30	11/28/18 04:30	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 09:38	CCE

- 1
Cp
- 2
Tc
- 3
Ss
- 4
Cn
- 5
Sr
- 6
Qc
- 7
Gl
- 8
Al
- 9
Sc

MW-703 L1046769-08 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 16:10
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 04:45	11/28/18 04:45	ELN
Wet Chemistry by Method 9056A	WG1201630	20	11/28/18 05:01	11/28/18 05:01	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 09:41	CCE

MW-704 L1046769-09 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 16:45
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201630	1	11/28/18 05:47	11/28/18 05:47	ELN
Wet Chemistry by Method 9056A	WG1201630	20	11/28/18 06:49	11/28/18 06:49	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 08:50	CCE

MW-705 L1046769-10 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 17:35
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201937	1	11/28/18 00:06	11/28/18 00:06	ELN
Wet Chemistry by Method 9056A	WG1201937	10	11/28/18 00:24	11/28/18 00:24	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 10:11	CCE

MW-706 L1046769-11 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 18:00
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200499	1	11/26/18 17:07	11/26/18 17:30	AJS
Wet Chemistry by Method 9056A	WG1201937	1	11/28/18 01:19	11/28/18 01:19	ELN
Wet Chemistry by Method 9056A	WG1201937	20	11/28/18 10:24	11/28/18 10:24	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 10:14	CCE

DUPLICATE L1046769-12 GW

Collected by
G. Penaflo
Collected date/time
11/19/18 16:45
Received date/time
11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200500	1	11/26/18 13:00	11/26/18 14:00	AJS
Wet Chemistry by Method 9056A	WG1201937	1	11/28/18 01:55	11/28/18 01:55	ELN
Wet Chemistry by Method 9056A	WG1201937	10	11/28/18 02:13	11/28/18 02:13	ELN
Metals (ICP) by Method 6010B	WG1200422	1	11/27/18 07:06	11/27/18 10:16	CCE



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	4100000		50000	1	11/26/2018 16:36	WG1200497

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	49600		1000	1	11/28/2018 00:38	WG1201630
Fluoride	420		100	1	11/28/2018 00:38	WG1201630
Sulfate	3590000		500000	100	11/28/2018 00:54	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/27/2018 09:20	WG1200422
Calcium	456000		1000	1	11/27/2018 09:20	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	4900000		25000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	3970		1000	1	11/28/2018 01:09	WG1201630
Fluoride	ND		100	1	11/28/2018 01:09	WG1201630
Sulfate	1430000		250000	50	11/28/2018 01:25	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	4320		200	1	11/27/2018 09:23	WG1200422
Calcium	332000		1000	1	11/27/2018 09:23	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	3160000		50000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	6760		1000	1	11/28/2018 01:40	WG1201630
Fluoride	645		100	1	11/28/2018 01:40	WG1201630
Sulfate	2590000		250000	50	11/28/2018 01:56	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	5560		200	1	11/27/2018 09:26	WG1200422
Calcium	423000		1000	1	11/27/2018 09:26	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2320000		50000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	13300		1000	1	11/28/2018 02:42	WG1201630
Fluoride	453		100	1	11/28/2018 02:42	WG1201630
Sulfate	2110000		250000	50	11/28/2018 02:57	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	4360		200	1	11/27/2018 09:29	WG1200422
Calcium	420000		1000	1	11/27/2018 09:29	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2410000		50000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	51700		1000	1	11/28/2018 03:13	WG1201630
Fluoride	187		100	1	11/28/2018 03:13	WG1201630
Sulfate	2260000		250000	50	11/28/2018 03:28	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	1680		200	1	11/27/2018 09:32	WG1200422
Calcium	407000		1000	1	11/27/2018 09:32	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2860000		50000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	336000		50000	50	11/28/2018 03:59	WG1201630
Fluoride	1050		100	1	11/28/2018 03:43	WG1201630
Sulfate	2180000		250000	50	11/28/2018 03:59	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/27/2018 09:35	WG1200422
Calcium	369000		1000	1	11/27/2018 09:35	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2280000		50000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	153000		50000	50	11/28/2018 04:30	WG1201630
Fluoride	184		100	1	11/28/2018 04:14	WG1201630
Sulfate	1690000		250000	50	11/28/2018 04:30	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	211		200	1	11/27/2018 09:38	WG1200422
Calcium	413000		1000	1	11/27/2018 09:38	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1560000		20000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	20000		1000	1	11/28/2018 04:45	WG1201630
Fluoride	144		100	1	11/28/2018 04:45	WG1201630
Sulfate	1160000		100000	20	11/28/2018 05:01	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/27/2018 09:41	WG1200422
Calcium	233000		1000	1	11/27/2018 09:41	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1140000		20000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	4220		1000	1	11/28/2018 05:47	WG1201630
Fluoride	122		100	1	11/28/2018 05:47	WG1201630
Sulfate	880000		100000	20	11/28/2018 06:49	WG1201630

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/27/2018 08:50	WG1200422
Calcium	154000	<u>O1</u>	1000	1	11/27/2018 08:50	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	924000		13300	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	14000		1000	1	11/28/2018 00:06	WG1201937
Fluoride	190		100	1	11/28/2018 00:06	WG1201937
Sulfate	536000		50000	10	11/28/2018 00:24	WG1201937

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/27/2018 10:11	WG1200422
Calcium	111000		1000	1	11/27/2018 10:11	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1640000		25000	1	11/26/2018 17:30	WG1200499

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	29500		1000	1	11/28/2018 01:19	WG1201937
Fluoride	200		100	1	11/28/2018 01:19	WG1201937
Sulfate	1120000		100000	20	11/28/2018 10:24	WG1201937

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	203		200	1	11/27/2018 10:14	WG1200422
Calcium	278000		1000	1	11/27/2018 10:14	WG1200422

6 Qc

7 Gl

8 Al

9 Sc



Collected date/time: 11/19/18 16:45

L1046769

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	1160000		20000	1	11/26/2018 14:00	WG1200500

¹ Cp

² Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	4160		1000	1	11/28/2018 01:55	WG1201937
Fluoride	131		100	1	11/28/2018 01:55	WG1201937
Sulfate	758000		50000	10	11/28/2018 02:13	WG1201937

³ Ss

⁴ Cn

⁵ Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/27/2018 10:16	WG1200422
Calcium	154000		1000	1	11/27/2018 10:16	WG1200422

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3363353-1 11/26/18 16:36

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Dissolved Solids	3000	↓	2820	10000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

L1046668-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1046668-04 11/26/18 16:36 • (DUP) R3363353-3 11/26/18 16:36

Analyte	Original Result ug/l	DUP Result ug/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits
Dissolved Solids	288000	289000	1	0.347		5

Laboratory Control Sample (LCS)

(LCS) R3363353-2 11/26/18 16:36

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800000	8770000	99.7	85.0-115	

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3363368-1 11/26/18 17:30

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

L1046769-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1046769-02 11/26/18 17:30 • (DUP) R3363368-3 11/26/18 17:30

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	4900000	4900000	1	0.0510		5

Laboratory Control Sample (LCS)

(LCS) R3363368-2 11/26/18 17:30

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800000	8530000	96.9	85.0-115	

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3363349-1 11/26/18 14:00

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

1 Cp

2 Tc

3 Ss

4 Cn

L1046155-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1046155-01 11/26/18 14:00 • (DUP) R3363349-3 11/26/18 14:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	138000	142000	1	2.86		5

5 Sr

6 Qc

Laboratory Control Sample (LCS)

(LCS) R3363349-2 11/26/18 14:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800000	9070000	103	85.0-115	

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3363512-1 11/27/18 15:33

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	U		51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L1046766-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1046766-02 11/27/18 17:45 • (DUP) R3363512-3 11/27/18 17:59

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	20900	21000	1	0.426		15
Fluoride	167	166	1	0.481		15
Sulfate	12700	12800	1	0.700		15

L1046769-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1046769-09 11/28/18 05:47 • (DUP) R3363512-5 11/28/18 06:02

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	4220	4230	1	0.140		15
Fluoride	122	121	1	0.412		15

L1046769-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1046769-09 11/28/18 06:49 • (DUP) R3363512-8 11/28/18 07:04

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfate	880000	847000	20	3.76		15

Laboratory Control Sample (LCS)

(LCS) R3363512-2 11/27/18 15:49

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40000	38700	96.7	80.0-120	
Fluoride	8000	7830	97.9	80.0-120	
Sulfate	40000	39100	97.8	80.0-120	



L1046766-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1046766-02 11/27/18 17:45 • (MS) R3363512-4 11/27/18 18:15

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50000	20900	69600	97.5	1	80.0-120	
Fluoride	5000	167	5310	103	1	80.0-120	
Sulfate	50000	12700	61400	97.4	1	80.0-120	

L1046769-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1046769-09 11/28/18 05:47 • (MS) R3363512-6 11/28/18 06:18 • (MSD) R3363512-7 11/28/18 06:33

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50000	4220	54600	54700	101	101	1	80.0-120			0.0911	15
Fluoride	5000	122	5290	5320	103	104	1	80.0-120			0.551	15
Sulfate	50000	756000	781000	772000	49.8	32.3	1	80.0-120	<u>EV</u>	<u>EV</u>	1.13	15

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc



Method Blank (MB)

(MB) R3363738-1 11/27/18 20:24

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Chloride	U		51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

L1047109-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1047109-01 11/28/18 06:28 • (DUP) R3363738-5 11/28/18 06:46

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	7110	7080	1	0.493		15
Fluoride	118	133	1	12.1		15
Sulfate	12300	12400	1	1.13		15

L1047152-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1047152-01 11/28/18 08:53 • (DUP) R3363738-6 11/28/18 09:11

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	30800	31200	1	1.60		15
Fluoride	ND	71.4	1	59.4	J P1	15
Sulfate	18200	18300	1	0.470		15

Laboratory Control Sample (LCS)

(LCS) R3363738-2 11/27/18 20:42

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Chloride	40000	39200	98.0	80.0-120	
Fluoride	8000	7940	99.2	80.0-120	
Sulfate	40000	39400	98.5	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



L1046770-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1046770-01 11/28/18 02:31 • (MS) R3363738-3 11/28/18 02:50 • (MSD) R3363738-4 11/28/18 03:08

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50000	83100	130000	131000	94.5	96.6	1	80.0-120	<u>E</u>	<u>E</u>	0.814	15
Fluoride	5000	111	4930	5140	96.4	101	1	80.0-120			4.12	15
Sulfate	50000	1660000	1650000	1660000	0.000	1.70	1	80.0-120	<u>EV</u>	<u>EV</u>	0.388	15

L1047152-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1047152-01 11/28/18 08:53 • (MS) R3363738-7 11/28/18 09:29

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50000	30800	81100	101	1	80.0-120	
Fluoride	5000	ND	5270	105	1	80.0-120	
Sulfate	50000	18200	67100	97.9	1	80.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3363263-1 11/27/18 08:42

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Boron	U		12.6	200
Calcium	U		46.3	1000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3363263-2 11/27/18 08:44 • (LCSD) R3363263-3 11/27/18 08:47

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Boron	1000	958	967	95.8	96.7	80.0-120			0.958	20
Calcium	10000	9510	9610	95.1	96.1	80.0-120			1.05	20

L1046769-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1046769-09 11/27/18 08:50 • (MS) R3363263-5 11/27/18 08:55 • (MSD) R3363263-6 11/27/18 08:58

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Boron	1000	ND	1130	1140	98.9	99.5	1	75.0-125			0.558	20
Calcium	10000	154000	163000	163000	84.9	89.6	1	75.0-125			0.292	20



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
V	The sample concentration is too high to evaluate accurate spike recoveries.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SCS Engineers - KS

8575 W. 110th Street
Overland Park, KS 66210

Report to:
Jason Franks

Project
Description: **KCPL - Montrose Generating Station**

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213168.18

City/State
Collected:
Lab Project #
AQUAOPKS-MONTROSE

Collected by (print):
G. Penabaz

Site/Facility ID #

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #
Date Results Needed
STP

Immediately
Packed on Ice N Y X

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Pres	Chk	Analysis / Container / Preservative
MW-601	Comp	GW		11/19/18	1145	3	X	X	X
MW-602		GW			1430	3	X	X	X
MW-603		GW			1420	3	X	X	X
MW-604		GW			1500	3	X	X	X
MW-605		GW			1505	3	X	X	X
MW-701		GW			1340	3	X	X	X
MW-702		GW			1305	3	X	X	X
MW-703		GW			1610	3	X	X	X
MW-704		GW			1645	3	X	X	X
MW-705		GW			1735	3	X	X	X

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier **SWA**

Tracking #

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Trip Blank Received: Yes/No
 HCL / MeOH
 TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: **2.5 °C**
2.5 3.0 °C
 Bottles Received: **42**

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date: **11/21/18**
 Time: **0845**

Sample Receipt Check List
 COC Seal Present/Intact: Y N
 COC Signed/Accurate: Y N
 Bottles arrive intact: Y N
 Correct bottles used: Y N
 Sufficient volume sent: Y N
 If Applicable
 VOA Zero Headspace: Y N
 Preservation Correct/Checked: Y N

If preservation required by Login: Date/Time

Hold: Condition: **NCF 10**

Billing Information:
Accounts Payable
 8575 W. 110th Street
 Overland Park, KS 66210

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 2



12065 Lebanon Rd
 Mount Juliet, TN 37122
 Phone: 615-758-5858
 Phone: 800-767-5859
 Fax: 615-758-5859



L# **1046769**

H188

Acctnum: **AQUAOPKS**

Template: **T135966**

Prelogin: **P678054**

TSR: **206 - Jeff Carr**

PB:

Shipped Via:

Remarks Sample # (lab only)

01
02
03
04
05
06
07
08
09
10

0730

SCS Engineers - KS

8575 W. 110th Street
Overland Park, KS 66210

Billing Information:

Accounts Payable
8575 W. 110th Street
Overland Park, KS 66210

Pres
Chk

Analysis / Container / Preservative

Chain of Custody

Page 2 of 2



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project
Description: **KCPL - Montrose Generating Station**

City/State
Collected:
Lab Project #
AQUAOPKS-MONTROSE

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213168.18

Collected by (print):
G. Penafion

Site/Facility ID #

P.O. #

Collected by (signature):
G. Penafion

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed
STD

Immediately
Packed on Ice: N Y

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Pres	Chk	Analysis / Container / Preservative
MW-706	Comp	GW		11/19/18	1800	3	X	X	X
704 MS	↓	GW		↓	1645	3	X	X	X
704 MSD	↓	GW		↓	1645	3	X	X	X
DUPLICATE 2	↓	GW		↓	1645	3	X	X	X

Anions (Cl, F, SO4) 125mlHDPE-NoPres

B, Ca - 6010 250mlHDPE-HNO3

TDS 250mlHDPE-NoPres

L# **1046769**
Table #
Acctnum: **AQUAOPKS**
Template: **T135966**
Prelogin: **P678054**
TSR: **206 - Jeff Carr**
PB:

Shipped Via:	Remarks	Sample # (lab only)
		11
		09
		09
		12

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier **SVA**

Tracking #

pH _____ Temp _____
Flow _____ Other _____

Sample Receipt Checklist
COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
IF Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N

Relinquished by: (Signature) <i>[Signature]</i>	Date: 11/20/18	Time: 1348	Received by: (Signature) <i>[Signature]</i>
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) <i>[Signature]</i>

Trip Blank Received: Yes / No
HCL / MeOH
TBR
Temp: **+0.5 °C**
2.530 AL Bottles Received: **42**
Date: **11/21/18** Time: **0730**

If preservation required by Login: Date/Time

Hold:
Condition:
NCF / OK

November 30, 2018

SCS Engineers - KS

Sample Delivery Group: L1046770
Samples Received: 11/21/2018
Project Number: 27213168.18
Description: KCPL - Montrose Generating Station

Report To: Jason Franks
8575 W. 110th Street
Overland Park, KS 66210

Entire Report Reviewed By:



Jeff Carr
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	1 Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	2 Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	3 Ss
MW-506 L1046770-01	5	
DUPLICATE L1046770-02	6	4 Cn
Qc: Quality Control Summary	7	5 Sr
Gravimetric Analysis by Method 2540 C-2011	7	
Wet Chemistry by Method 9056A	9	6 Qc
Metals (ICP) by Method 6010B	11	
Gl: Glossary of Terms	12	7 Gl
Al: Accreditations & Locations	13	8 Al
Sc: Sample Chain of Custody	14	9 Sc

SAMPLE SUMMARY



MW-506 L1046770-01 GW

Collected by Jason Franks
Collected date/time 11/19/18 11:30
Received date/time 11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1200500	1	11/26/18 13:00	11/26/18 14:00	AJS
Wet Chemistry by Method 9056A	WG1201937	1	11/28/18 02:31	11/28/18 02:31	ELN
Wet Chemistry by Method 9056A	WG1201937	50	11/28/18 10:42	11/28/18 10:42	ELN
Metals (ICP) by Method 6010B	WG1200421	1	11/24/18 13:09	11/26/18 16:28	ST

¹ Cp

² Tc

³ Ss

⁴ Cn

DUPLICATE L1046770-02 GW

Collected by Jason Franks
Collected date/time 11/19/18 11:30
Received date/time 11/21/18 07:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1203204	1	11/29/18 15:56	11/29/18 17:13	MMF
Wet Chemistry by Method 9056A	WG1201937	1	11/28/18 03:44	11/28/18 03:44	ELN
Wet Chemistry by Method 9056A	WG1201937	20	11/28/18 04:02	11/28/18 04:02	ELN
Metals (ICP) by Method 6010B	WG1200421	1	11/24/18 13:09	11/26/18 17:37	ST

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2430000		50000	1	11/26/2018 14:00	WG1200500

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	83100		1000	1	11/28/2018 02:31	WG1201937
Fluoride	111		100	1	11/28/2018 02:31	WG1201937
Sulfate	1680000		250000	50	11/28/2018 10:42	WG1201937

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/26/2018 16:28	WG1200421
Calcium	346000	O1V	1000	1	11/26/2018 16:28	WG1200421

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	2740000	Q	50000	1	11/29/2018 17:13	WG1203204

Sample Narrative:

L1046770-02 WG1203204: Re-ran out of hold for confirmation.

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	83600		1000	1	11/28/2018 03:44	WG1201937
Fluoride	119		100	1	11/28/2018 03:44	WG1201937
Sulfate	1690000		100000	20	11/28/2018 04:02	WG1201937

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/26/2018 17:37	WG1200421
Calcium	347000		1000	1	11/26/2018 17:37	WG1200421

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Method Blank (MB)

(MB) R3363349-1 11/26/18 14:00

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

¹ Cp

² Tc

³ Ss

L1046155-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1046155-01 11/26/18 14:00 • (DUP) R3363349-3 11/26/18 14:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	138000	142000	1	2.86		5

⁴ Cn

⁵ Sr

Laboratory Control Sample (LCS)

(LCS) R3363349-2 11/26/18 14:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800000	9070000	103	85.0-115	

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3364304-1 11/29/18 17:13

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Dissolved Solids	U		2820	10000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

L1046770-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1046770-01 11/29/18 17:13 • (DUP) R3364304-3 11/29/18 17:13

Analyte	Original Result ug/l	DUP Result ug/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	2770000	2760000	1	0.543		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3364304-2 11/29/18 17:13

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800000	8730000	99.2	85.0-115	



Method Blank (MB)

(MB) R3363738-1 11/27/18 20:24

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Chloride	U		51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L1047109-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1047109-01 11/28/18 06:28 • (DUP) R3363738-5 11/28/18 06:46

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	7110	7080	1	0.493		15
Fluoride	118	133	1	12.1		15
Sulfate	12300	12400	1	1.13		15

L1047152-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1047152-01 11/28/18 08:53 • (DUP) R3363738-6 11/28/18 09:11

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	30800	31200	1	1.60		15
Fluoride	ND	71.4	1	59.4	J P1	15
Sulfate	18200	18300	1	0.470		15

Laboratory Control Sample (LCS)

(LCS) R3363738-2 11/27/18 20:42

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Chloride	40000	39200	98.0	80.0-120	
Fluoride	8000	7940	99.2	80.0-120	
Sulfate	40000	39400	98.5	80.0-120	



L1046770-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1046770-01 11/28/18 02:31 • (MS) R3363738-3 11/28/18 02:50 • (MSD) R3363738-4 11/28/18 03:08

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50000	83100	130000	131000	94.5	96.6	1	80.0-120	<u>E</u>	<u>E</u>	0.814	15
Fluoride	5000	111	4930	5140	96.4	101	1	80.0-120			4.12	15
Sulfate	50000	1660000	1650000	1660000	0.000	1.70	1	80.0-120	<u>EV</u>	<u>EV</u>	0.388	15

L1047152-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1047152-01 11/28/18 08:53 • (MS) R3363738-7 11/28/18 09:29

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50000	30800	81100	101	1	80.0-120	
Fluoride	5000	ND	5270	105	1	80.0-120	
Sulfate	50000	18200	67100	97.9	1	80.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3363071-1 11/26/18 16:20

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Boron	U		12.6	200
Calcium	U		46.3	1000

1 Cp

2 Tc

3 Ss

4 Cn

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3363071-2 11/26/18 16:22 • (LCSD) R3363071-3 11/26/18 16:25

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Boron	1000	1010	1010	101	101	80.0-120			0.453	20
Calcium	10000	10100	10000	101	100	80.0-120			0.818	20

5 Sr

6 Qc

L1046770-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1046770-01 11/26/18 16:28 • (MS) R3363071-5 11/26/18 16:33 • (MSD) R3363071-6 11/26/18 16:36

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Boron	1000	ND	1150	1130	103	102	1	75.0-125			1.35	20
Calcium	10000	346000	351000	351000	48.6	49.6	1	75.0-125	V	V	0.0280	20

7 Gl

8 Al

9 Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
Q	Sample was prepared and/or analyzed past recommended holding time. Concentrations should be considered minimum values.
V	The sample concentration is too high to evaluate accurate spike recoveries.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SCS Engineers - KS

8575 W. 110th Street
Overland Park, KS 66210

Billing Information:
Accounts Payable
8575 W. 110th Street
Overland Park, KS 66210

Pres. Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 1



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project Description: **KCPL - Montrose Generating Station**

City/State Collected: **MONTROSE, MO**

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213168.18

Lab Project #
AQUAOPKS-MONTROSE

Collected by (print):
JASON FRANKS

Site/Facility ID #

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

Immediately Packed on Ice N Y

No. of Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Anions (Cl ⁻ , F ⁻ , SO ₄ ²⁻)	125mHDPE-NoPres	B, Ca - 6010 250mHDPE-HNO3	TDS 250mHDPE-NoPres									
MW-506	6EAS	GW		11/19/18	1130	3	X	X	X										
MW-506 MS		GW			1130	3	X	X	X										
MW-506 MSD	↓	GW		↓	1130	3	X	X	X										
DUPLICATE #1		GW		↓	1130	3	X	X	X										

L# **L1046770**
H186

Acctnum: **AQUAOPKS**

Template: **T135965**

Prelogin: **P680729**

TSR: **206 - Jeff Carr**

PB:

Shipped Via:

Remarks Sample # (lab only)

-01
01
01
02

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier **SVA**

Tracking #

Relinquished by: (Signature) *[Signature]* Date: **11/20/18** Time: **1348**

Received by: (Signature) *[Signature]*

Trip Blank Received: Yes/No
HCL/MeOH
TBR

Relinquished by: (Signature) Date: Time:

Received by: (Signature) *[Signature]*

Temp: **+0.5C** Bottles Received: **12**

Relinquished by: (Signature) Date: Time:

Received for lab by: (Signature) *[Signature]*

Date: **11/21/18** Time: **08:07**

Sample Receipt Checklist
COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headpace: Y N
Preservation Correct/Checked: Y N

If preservation required by Login: Date/Time

Hold: Condition: **NCF 1 OR**

0730

Jared Morrison
December 20, 2022

ATTACHMENT 2
Statistical Analyses

Jared Morrison
December 20, 2022

ATTACHMENT 2-1
Fall 2017 Semiannual Detection Monitoring Statistical Analyses

MEMORANDUM

January 22, 2018

To: **Montrose Generating Station**
400 SW Highway P
Clinton, MO 64735
Kansas City Power & Light Company



From: **SCS Engineers**

RE: **Revision to January 15, 2018 Memorandum**
Determination of Statistically Significant Increases - CCR Landfill

Statistical analysis of monitoring data from the groundwater monitoring system for the CCR Landfill at the Montrose Generating Station has been completed in substantial compliance with the "Statistical Method Certification By A Qualified Professional Engineer" dated October 12, 2017. Groundwater samples were collected and analyzed by October 17, 2017. A statistical analysis was conducted to determine whether there is a statistically significant increase over background values for each constituent listed in Appendix III to Part 257-Constituents for Detection Monitoring.

The completed statistical evaluation did not identify statistically significant increases (SSIs) above background for the Appendix III constituents.

Attached to this memorandum are the following backup information:

Attachment 1: Sanitas™ Output:

Statistical evaluation output from Sanitas™ for the prediction limit analysis. This includes prediction limit plots, prediction limit background data, detection sample result, 1st verification re-sample result (when applicable), 2nd verification re-sample result (when applicable), extra sample result for quality control (if applicable), and a Prediction Limit summary table. Output documentation includes the analytical data used for the statistical analyses.

Attachment 2: Sanitas™ Configuration Settings:

Screen shots of the applicable Sanitas™ configuration settings for the statistical prediction limit analysis. This includes data configuration, output configuration, prediction limit configuration and other tests configuration.

Revision Number	Revision Date	Attachment Revised	Summary of Revisions
1	1/22/2018	Cover letter	Revision table added. No changes to text regarding statistical analyses. Attachment 1 description was revised to match the revisions made in the attachment.
1	1/22/2018	1	Some samples previously identified as verification re-samples are now more appropriately identified as "extra samples". These samples were taken as part of the quality control process, and were not required as part of verification re-sampling.


Montrose Generating Station
Determination of Statistically Significant Increases
CCR Landfill
January 22, 2018

ATTACHMENT 1

Sanitas™ Output

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. All background values (n = 8) were censored; limit is most recent reporting limit. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Boron Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 87.5% NDs. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Boron Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.794, Std. Dev.=0.2855, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9261, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Boron Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=6.576, Std. Dev.=0.415, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9214, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Boron Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	<0.2	
2/16/2016	<0.2	
5/23/2016	<0.2	
8/22/2016	<0.2	
11/8/2016	<0.2	
2/7/2017	<0.2	
5/1/2017	<0.2	
7/31/2017	<0.2	
10/2/2017		<0.2

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	<0.2	
2/16/2016	<0.2	
5/23/2016	<0.2	
8/22/2016	0.203	
11/8/2016	<0.2	
2/7/2017	<0.2	
5/2/2017	<0.2	
7/31/2017	<0.2	
10/2/2017		<0.2

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	5.08	
2/16/2016	5.04	
5/23/2016	5.17	
8/22/2016	4.62	
11/7/2016	4.84	
2/7/2017	4.62	
5/2/2017	4.35	
7/31/2017	4.63	
10/2/2017		4.94


Prediction Limit

Constituent: Boron (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	6.28	
2/16/2016	6.81	
5/23/2016	7.06	
8/22/2016	6.91	
11/7/2016	6.43	
2/7/2017	6.39	
5/2/2017	5.83	
7/31/2017	6.9	
10/2/2017		6.5

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.958, Std. Dev.=0.2791, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.939, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Boron Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=1.896, Std. Dev.=0.1145, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8853, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Boron Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=389.5, Std. Dev.=52.94, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9493, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=467.9, Std. Dev.=26.16, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8556, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	4.62	
2/16/2016	4.88	
5/23/2016	5.06	
8/22/2016	5.5	
11/7/2016	4.98	
2/7/2017	5.13	
5/2/2017	4.74	
7/31/2017	4.75	
10/2/2017		5.14

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	2.02	
2/16/2016	2.03	
5/23/2016	2.02	
8/22/2016	1.89	
11/7/2016	1.85	
2/7/2017	1.84	
5/2/2017	1.78	
7/31/2017	1.74	
10/2/2017		1.87

Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	479	
2/16/2016	448	
5/23/2016	404	
8/22/2016	393	
11/8/2016	363	
2/7/2017	322	
5/1/2017	361	
7/31/2017	346	
10/2/2017		341
11/15/2017		354 extra sample


Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	469	
2/16/2016	481	
5/23/2016	473	
8/22/2016	502	
11/8/2016	481	
2/7/2017	427	
5/2/2017	430	
7/31/2017	480	
10/2/2017		508
11/15/2017	498	extra sample

Within Limit

Prediction Limit Intrawell Parametric




Background Data Summary: Mean=348, Std. Dev.=23.71, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8221, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 1/15/2018 10:54 AM View: LF CCR III
 Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit Intrawell Parametric




Background Data Summary: Mean=431, Std. Dev.=15.9, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8323, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 1/15/2018 10:54 AM View: LF CCR III
 Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit Intrawell Parametric




Background Data Summary: Mean=424, Std. Dev.=41.08, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.917, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 1/15/2018 10:54 AM View: LF CCR III
 Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit Intrawell Parametric



Background Data Summary: Mean=407.6, Std. Dev.=23.86, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8546, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 1/15/2018 10:54 AM View: LF CCR III
 Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	373	
2/16/2016	372	
5/23/2016	355	
8/22/2016	353	
11/7/2016	353	
2/7/2017	314	
5/2/2017	310	
7/31/2017	354	
10/2/2017		375
11/15/2017		370 extra sample

Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	444	
2/16/2016	445	
5/23/2016	429	
8/22/2016	445	
11/7/2016	437	
2/7/2017	409	
5/2/2017	405	
7/31/2017	434	
10/2/2017		476
11/15/2017		471 1st verification re-sample
12/29/2017		455 2nd verification re-sample

Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	454	
2/16/2016	470	
5/23/2016	474	
8/22/2016	440	
11/7/2016	412	
2/7/2017	392	
5/2/2017	381	
7/31/2017	369	
10/2/2017		442
11/15/2017		417 extra sample


Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	427	
2/16/2016	426	
5/23/2016	412	
8/22/2016	431	
11/7/2016	407	
2/7/2017	367	
5/2/2017	376	
7/31/2017	415	
10/2/2017		447
11/15/2017		442 extra sample

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=81.88, Std. Dev.=8.982, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9113, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=50.24, Std. Dev.=2.703, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9098, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.395, Std. Dev.=0.2111, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9535, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=7.655, Std. Dev.=0.239, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9121, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	92.4	
2/16/2016	97.2	
5/23/2016	84.7	
8/22/2016	77.5	
11/8/2016	73.1	
2/7/2017	79	
5/1/2017	79.2	
7/31/2017	71.9	
10/2/2017		74.4
11/15/2017		77.7 extra sample

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	52.5	
2/16/2016	53	
5/23/2016	50.6	
8/22/2016	45.5	
11/8/2016	47.5	
2/7/2017	49	
5/2/2017	51.1	
7/31/2017	52.7	
10/2/2017		52.4
11/15/2017		54.2 extra sample

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	4.48	
2/16/2016	4.38	
5/23/2016	4.29	
8/22/2016	4.65	
11/7/2016	4.35	
2/7/2017	4.04	
5/2/2017	4.69	
7/31/2017	4.28	
10/2/2017		6.06
11/15/2017	4.93	1st verification re-sample
12/29/2017	4.44	2nd verification re-sample


Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	7.33	
2/16/2016	7.65	
5/23/2016	7.64	
8/22/2016	7.9	
11/7/2016	7.67	
2/7/2017	7.35	
5/2/2017	7.67	
7/31/2017	8.03	
10/2/2017		8.37
11/15/2017		7.83 1st verification re-sample

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=13.19, Std. Dev.=1.635, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9029, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=47.18, Std. Dev.=1.738, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9293, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2984, Std. Dev.=332.5, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8925, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=4458, Std. Dev.=236.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9764, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	15.6	
2/16/2016	15.5	
5/23/2016	13.3	
8/22/2016	11.7	
11/7/2016	12.5	
2/7/2017	12.5	
5/2/2017	13.3	
7/31/2017	11.1	
10/2/2017		12.1
11/15/2017		12.8 extra sample

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Date	Value	Limit
	605	605
12/17/2015	43.9	
2/16/2016	45.7	
5/23/2016	47.3	
8/22/2016	46.5	
11/7/2016	48.2	
2/7/2017	48	
5/2/2017	48.7	
7/31/2017	49.1	
10/2/2017		48.7
11/15/2017	48.8	extra sample

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	3540	
2/16/2016	3280	
5/23/2016	2910	
8/22/2016	3260	
11/8/2016	2710	
2/7/2017	2790	
5/1/2017	2760	
7/31/2017	2620	
10/2/2017		2670


Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	4470	
2/16/2016	4280	
5/23/2016	4530	
8/22/2016	4810	
11/8/2016	4370	
2/7/2017	4640	
5/2/2017	4530	
7/31/2017	4030	
10/2/2017		4790

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2030, Std. Dev.=109.2, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9195, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=3076, Std. Dev.=169.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9267, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2596, Std. Dev.=330.8, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9393, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=2664, Std. Dev.=247.4, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9059, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	2100	
2/16/2016	2080	
5/23/2016	2180	
8/22/2016	2060	
11/7/2016	1990	
2/7/2017	1890	
5/2/2017	2080	
7/31/2017	1860	
10/2/2017		2100

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	2940	
2/16/2016	3140	
5/23/2016	2990	
8/22/2016	3350	
11/7/2016	3240	
2/7/2017	3150	
5/2/2017	2880	
7/31/2017	2920	
10/2/2017		3190

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	2820	
2/16/2016	2690	
5/23/2016	3010	
8/22/2016	2890	
11/7/2016	2270	
2/7/2017	2670	
5/2/2017	2350	
7/31/2017	2070	
10/2/2017		2570


Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	2800	
2/16/2016	2750	
5/23/2016	2760	
8/22/2016	2990	
11/7/2016	2760	
2/7/2017	2580	
5/2/2017	2500	
7/31/2017	2170	
10/2/2017		2900

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 87.5% NDs. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality; data were not deseasonalized.

Constituent: Fluoride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.4123, Std. Dev.=0.07322, n=8. Insufficient data to test for seasonality; data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9578, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary (after Aitchison's Adjustment): Mean=0.0625, Std. Dev.=0.0676, n=8, 50% NDs. Insufficient data to test for seasonality; data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7877, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=0.5066, Std. Dev.=0.0944, n=8. Insufficient data to test for seasonality; data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9541, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	0.12	
2/16/2016	<0.1	
5/23/2016	<0.1	
8/22/2016	<0.1	
11/8/2016	<0.1	
2/7/2017	<0.1	
5/1/2017	<0.1	
7/31/2017	<0.1	
10/2/2017		<0.1

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	0.45	
2/16/2016	0.406	
5/23/2016	0.276	
8/22/2016	0.435	
11/8/2016	0.446	
2/7/2017	0.399	
5/2/2017	0.36	
7/31/2017	0.526	
10/2/2017		0.488

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	0.148	
2/16/2016	<0.1	
5/23/2016	<0.1	
8/22/2016	0.114	
11/7/2016	<0.1	
2/7/2017	<0.1	
5/2/2017	0.122	
7/31/2017	0.116	
10/2/2017		0.108


Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	0.673	
2/16/2016	0.552	
5/23/2016	0.523	
8/22/2016	0.431	
11/7/2016	0.442	
2/7/2017	0.459	
5/2/2017	0.585	
7/31/2017	0.388	
10/2/2017		0.666

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.4879, Std. Dev.=0.05191, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8289, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.1933, Std. Dev.=0.02702, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9254, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 8 background values. Well-constituent pair annual alpha = 0.02358. Individual comparison alpha = 0.01182 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: pH Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=5.429, Std. Dev.=0.1846, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9556, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	0.515	
2/16/2016	0.497	
5/23/2016	0.437	
8/22/2016	0.468	
11/7/2016	0.468	
2/7/2017	0.467	
5/2/2017	0.45	
7/31/2017	0.601	
10/2/2017		0.542

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	0.246	
2/16/2016	0.156	
5/23/2016	0.166	
8/22/2016	0.191	
11/7/2016	0.203	
2/7/2017	0.187	
5/2/2017	0.197	
7/31/2017	0.2	
10/2/2017		0.184

Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	5.11	
2/16/2016	5.56	
5/23/2016	5.47	
8/22/2016	5.57	
11/8/2016	6.04	
2/7/2017	9.26	
5/1/2017	5.51	
7/31/2017	5.51	
10/2/2017		5.59
11/15/2017		5.58 extra sample


Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	5.12	
2/16/2016	5.73	
5/23/2016	5.58	
8/22/2016	5.44	
11/8/2016	5.26	
2/7/2017	5.41	
5/2/2017	5.45	
7/31/2017	5.44	
10/2/2017		5.61
11/15/2017		5.49 extra sample

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=6.099, Std. Dev.=0.4755, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7552, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 1/15/2018 2:59 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.644, Std. Dev.=0.28, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9182, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 1/15/2018 2:59 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=5.869, Std. Dev.=0.2585, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9645, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 1/15/2018 2:59 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=5.58, Std. Dev.=0.2309, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7625, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 1/15/2018 2:59 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/15/2018 2:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	5.93	
2/16/2016	5.78	
5/23/2016	7.05	
8/22/2016	5.74	
11/7/2016	5.99	
2/7/2017	6.62	
5/2/2017	5.81	
7/31/2017	5.87	
10/2/2017		5.86
11/15/2017		5.87 extra sample
12/29/2017		5.74 extra sample

Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/15/2018 2:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603	
12/16/2015	4.58		
2/16/2016	4.29		
5/23/2016	4.98		
8/22/2016	4.65		
11/7/2016	4.48		
2/7/2017	4.44		
5/2/2017	4.6		
7/31/2017	5.13		
10/2/2017		4.48	
11/15/2017		4.44	extra sample
12/29/2017		4.43	extra sample

Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	5.79	
2/16/2016	5.51	
5/23/2016	6.3	
8/22/2016	5.67	
11/7/2016	6.04	
2/7/2017	6.1	
5/2/2017	5.72	
7/31/2017	5.82	
10/2/2017		5.72
11/15/2017		5.73 extra sample


Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605	
12/17/2015	5.57		
2/16/2016	5.34		
5/23/2016	6.11		
8/22/2016	5.42		
11/7/2016	5.49		
2/7/2017	5.58		
5/2/2017	5.58		
7/31/2017	5.55		
10/2/2017		5.58	
11/15/2017		5.55	extra sample

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2098, Std. Dev.=239.7, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.871, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 1/15/2018 10:54 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=3328, Std. Dev.=193.7, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8736, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 1/15/2018 10:55 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=1370, Std. Dev.=124.8, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9502, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 1/15/2018 10:55 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=2524, Std. Dev.=202.3, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9133, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 1/15/2018 10:55 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	2290	
2/16/2016	2210	
5/23/2016	2330	
8/22/2016	2280	
11/8/2016	1930	
2/7/2017	1920	
5/1/2017	2170	
7/31/2017	1650	
10/2/2017		1680

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	3430	
2/16/2016	3200	
5/23/2016	3360	
8/22/2016	3590	
11/8/2016	3160	
2/7/2017	3180	
5/2/2017	3590	
7/31/2017	3110	
10/2/2017		3150

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	1540	
2/16/2016	1410	
5/23/2016	1490	
8/22/2016	1320	
11/7/2016	1370	
2/7/2017	1430	
5/2/2017	1190	
7/31/2017	1210	
10/2/2017		1340


Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	2440	
2/16/2016	2470	
5/23/2016	2760	
8/22/2016	2710	
11/7/2016	2760	
2/7/2017	2500	
5/2/2017	2220	
7/31/2017	2330	
10/2/2017		2370

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=1935, Std. Dev.=258.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9413, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 1/15/2018 10:55 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=2046, Std. Dev.=163.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8694, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 1/15/2018 10:55 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	2060	
2/16/2016	2080	
5/23/2016	1990	
8/22/2016	2290	
11/7/2016	2070	
2/7/2017	1810	
5/2/2017	1710	
7/31/2017	1470	
10/2/2017		1710

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 1/15/2018 10:58 AM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	2180	
2/16/2016	1950	
5/23/2016	1880	
8/22/2016	2230	
11/7/2016	2280	
2/7/2017	2050	
5/2/2017	1910	
7/31/2017	1890	
10/2/2017		1920

Intrawell Prediction Limit

Montrose Generating Station UWL Client: SCS Engineers Data: Montrose Printed 1/15/2018, 3:00 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Boron (mg/l)	506	0.2	n/a	10/2/2017	0.1ND	No	8	100	n/a	0.005912	NP (NDs) 1 of 3
Boron (mg/l)	601	0.203	n/a	10/2/2017	0.1ND	No	8	87.5	n/a	0.005912	NP (NDs) 1 of 3
Boron (mg/l)	602	5.31	n/a	10/2/2017	4.94	No	8	0	No	0.00188	Param 1 of 3
Boron (mg/l)	603	7.327	n/a	10/2/2017	6.5	No	8	0	No	0.00188	Param 1 of 3
Boron (mg/l)	604	5.463	n/a	10/2/2017	5.14	No	8	0	No	0.00188	Param 1 of 3
Boron (mg/l)	605	2.104	n/a	10/2/2017	1.87	No	8	0	No	0.00188	Param 1 of 3
Calcium (mg/l)	506	485.3	n/a	11/15/2017	354	No	8	0	No	0.00188	Param 1 of 3
Calcium (mg/l)	601	515.2	n/a	11/15/2017	498	No	8	0	No	0.00188	Param 1 of 3
Calcium (mg/l)	602	390.9	n/a	11/15/2017	370	No	8	0	No	0.00188	Param 1 of 3
Calcium (mg/l)	603	459.8	n/a	12/29/2017	455	No	8	0	No	0.00188	Param 1 of 3
Calcium (mg/l)	604	498.4	n/a	11/15/2017	417	No	8	0	No	0.00188	Param 1 of 3
Calcium (mg/l)	605	450.8	n/a	11/15/2017	442	No	8	0	No	0.00188	Param 1 of 3
Chloride (mg/l)	506	98.13	n/a	11/15/2017	77.7	No	8	0	No	0.00188	Param 1 of 3
Chloride (mg/l)	601	55.13	n/a	11/15/2017	54.2	No	8	0	No	0.00188	Param 1 of 3
Chloride (mg/l)	602	4.777	n/a	12/29/2017	4.44	No	8	0	No	0.00188	Param 1 of 3
Chloride (mg/l)	603	8.088	n/a	11/15/2017	7.83	No	8	0	No	0.00188	Param 1 of 3
Chloride (mg/l)	604	16.15	n/a	11/15/2017	12.8	No	8	0	No	0.00188	Param 1 of 3
Chloride (mg/l)	605	50.32	n/a	11/15/2017	48.8	No	8	0	No	0.00188	Param 1 of 3
Dissolved Solids (mg/l)	506	3586	n/a	10/2/2017	2670	No	8	0	No	0.00188	Param 1 of 3
Dissolved Solids (mg/l)	601	4885	n/a	10/2/2017	4790	No	8	0	No	0.00188	Param 1 of 3
Dissolved Solids (mg/l)	602	2228	n/a	10/2/2017	2100	No	8	0	No	0.00188	Param 1 of 3
Dissolved Solids (mg/l)	603	3382	n/a	10/2/2017	3190	No	8	0	No	0.00188	Param 1 of 3
Dissolved Solids (mg/l)	604	3195	n/a	10/2/2017	2570	No	8	0	No	0.00188	Param 1 of 3
Dissolved Solids (mg/l)	605	3112	n/a	10/2/2017	2900	No	8	0	No	0.00188	Param 1 of 3
Fluoride (mg/l)	506	0.12	n/a	10/2/2017	0.05ND	No	8	87.5	n/a	0.005912	NP (NDs) 1 of 3
Fluoride (mg/l)	601	0.5448	n/a	10/2/2017	0.488	No	8	0	No	0.00188	Param 1 of 3
Fluoride (mg/l)	602	0.1849	n/a	10/2/2017	0.108	No	8	50	No	0.00188	Param 1 of 3
Fluoride (mg/l)	603	0.6775	n/a	10/2/2017	0.666	No	8	0	No	0.00188	Param 1 of 3
Fluoride (mg/l)	604	0.5818	n/a	10/2/2017	0.542	No	8	0	No	0.00188	Param 1 of 3
Fluoride (mg/l)	605	0.2422	n/a	10/2/2017	0.184	No	8	0	No	0.00188	Param 1 of 3
pH (S.U.)	506	9.26	5.11	11/15/2017	5.58	No	8	0	n/a	0.01182	NP (normality) 1 of 3
pH (S.U.)	601	5.763	5.095	11/15/2017	5.49	No	8	0	No	0.000...	Param 1 of 3
pH (S.U.)	602	6.959	5.238	12/29/2017	5.74	No	8	0	No	0.000...	Param 1 of 3
pH (S.U.)	603	5.151	4.137	12/29/2017	4.43	No	8	0	No	0.000...	Param 1 of 3
pH (S.U.)	604	6.337	5.401	11/15/2017	5.73	No	8	0	No	0.000...	Param 1 of 3
pH (S.U.)	605	5.998	5.162	11/15/2017	5.55	No	8	0	No	0.000...	Param 1 of 3
Sulfate (mg/l)	506	2531	n/a	10/2/2017	1680	No	8	0	No	0.00188	Param 1 of 3
Sulfate (mg/l)	601	3678	n/a	10/2/2017	3150	No	8	0	No	0.00188	Param 1 of 3
Sulfate (mg/l)	602	1596	n/a	10/2/2017	1340	No	8	0	No	0.00188	Param 1 of 3
Sulfate (mg/l)	603	2890	n/a	10/2/2017	2370	No	8	0	No	0.00188	Param 1 of 3
Sulfate (mg/l)	604	2402	n/a	10/2/2017	1710	No	8	0	No	0.00188	Param 1 of 3
Sulfate (mg/l)	605	2341	n/a	10/2/2017	1920	No	8	0	No	0.00188	Param 1 of 3

Montrose Generating Station
Determination of Statistically Significant Increases
CCR Landfill
January 22, 2018

ATTACHMENT 2

Sanitas™ Configuration Settings

Options

Data

Output

Trend Test

Control Cht

Prediction Lim

Tolerance Lim

Conf/Tol Int

ANOVA

Welchs

Other Tests

Exclude data flags:

Data Reading Options

Individual Observations

Mean of Each:

Month

Median of Each:

Season

Non-Detect / Trace Handling...

Setup Seasons...

Automatically Process Resamples...

OK

Cancel

Save Settings As...

Load Saved Settings...

Defaults...

Edit INI File



Options

Data

Output

Trend Test

Control Cht

Prediction Lim

Tolerance Lim

Conf/Tol Int

ANOVA

Welchs

Other Tests

Black and White Output

Four Plots Per Page

Always Combine Data Pages...

Include Tick Marks on Data Page

Use Constituent Name for Graph Title

Draw Border Around Text Reports and Data Pages

Enlarge/Reduce Fonts (Graphs):

Enlarge/Reduce Fonts (Data/Text Reports):

Wide Margins (on reports without explicit setting)

Use CAS# (Not Const. Name)

Truncate File Names to Characters

Include Limit Lines when found in Database...

Show Deselected Data on Time Series

Show Deselected Data on all Data Pages

Prompt to Overwrite/Append Summary Tables

Round Limits to Sig. Digits (when not set in data file)

User-Set Scale

Indicate Background Data

Show Exact Dates

Thick Plot Lines

Zoom Factor:

Output Decimal Precision

Less Precision

Normal Precision

More Precision

Store Print Jobs in Multiple Constituent Mode

Printer:



Options

Data Output Trend Test Control Cht Prediction Lim Tolerance Lim Conf/Tol Int ANOVA Welchs Other Tests

Test for Normality using Shapiro-Wilk/Francia at Alpha = 0.01

Use Non-Parametric Test when Non-Detects Percent > 50

Use Aitchison's Adjustment when Non-Detects Percent > 15

Optional Further Refinement: Use Aitchison's when NDs % > 50

Use Poisson Prediction Limit when Non-Detects Percent > 90

Transformation

- Use Ladder of Powers
- Natural Log or No Transformation
- Never Transform
- Use Specific Transformation: Natural Log
- Use Best W Statistic
- Plot Transformed Values

Deseasonalize (Intra- and InterWell)

- If Seasonality Is Detected
- If Seasonality Is Detected Or Insufficient to Test
- Always (When Sufficient Data)
- Never

Always Use Non-Parametric

Facility α

Statistical Evaluations per Year: 2

Constituents Analyzed: 7

Downgradient (Compliance) Wells: 4

Sampling Plan

Comparing Individual Observations

- 1 of 1
- 1 of 2
- 1 of 3
- 1 of 4
- 2 of 4 ("Modified California")

IntraWell Other

Stop if Background Trend Detected at Alpha = 0.05

Plot Background Data

Override Standard Deviation:

Override DF: Override Kappa:

Automatically Remove Background Outliers

2-Tailed Test Mode...

Show Deselected Data Lighter

Non-Parametric Limit = Highest Background Value

Non-Parametric Limit when 100% Non-Detects:

- Highest/Second Highest Background Value
- Most Recent PQL if available, or MDL
- Most Recent Background Value (subst. method)

OK

Cancel

Save Settings As...

Load Saved Settings...

Defaults...

Edit INI File



Options

Data Output Trend Test Control Cht Prediction Lim Tolerance Lim Conf/Tol Int ANOVA Welchs Other Tests

Rank Von Neumann, Wilcoxon Rank Sum / Mann-Whitney

Use Modified Alpha... 2-Tailed Test Mode...

Outlier Tests

EPA 1989 Outlier Screening (fixed alpha of 0.05)

Dixon's at $\alpha = 0.05$ or if $n > 22$ Rosner's at $\alpha = 0.01$ Use EPA Screening to establish Suspected Outliers

Tukey's Outlier Screening, with IQR Multiplier = 3.0 Use Ladder of Powers to achieve Best W Stat

Test For Normality using Shapiro-Wilk/Francia at Alpha = 0.1

Stop if Non-Normal

Continue with Parametric Test if Non-Normal

Tukey's if Non-Normal, with IQR Multiplier = 3.0 Use Ladder of Powers to achieve Best W Stat

No Outlier If Less Than 3.0 Times Median

Apply Rules found in Ohio Guidance Document 0715

Combine Background Wells on the Outlier Report...

Piper, Stiff Diagram

Combine Wells

Label Constituents

Combine Dates

Label Axes

Use Default Constituent Names

Note Cation-Anion Balance (Piper only)

Use Constituent Definition File

OK

Cancel

Save Settings As...

Load Saved Settings...

Defaults...

Edit INI File



Jared Morrison
December 20, 2022

ATTACHMENT 2-2
Spring 2018 Semiannual Detection Monitoring Statistical Analyses

MEMORANDUM

September 11, 2018

To: **Montrose Generating Station**
400 SW Highway P
Clinton, MO 64735
Kansas City Power & Light Company



From: **SCS Engineers**

RE: **Determination of Statistically Significant Increases - CCR Landfill**
Spring 2018 Semiannual Detection Monitoring 40 CFR 257.94

Statistical analysis of monitoring data from the groundwater monitoring system for the CCR Landfill at the Montrose Generating Station has been completed in substantial compliance with the "Statistical Method Certification by A Qualified Professional Engineer" dated October 12, 2017. Detection monitoring groundwater samples were collected on May 14, 2018. Review and validation of the results from the May 2018 Detection Monitoring Event was completed on June 12, 2018, which constitutes completion and finalization of detection monitoring laboratory analyses. A statistical analysis was then conducted to determine whether there was a statistically significant increase (SSI) over background values for each constituent listed in Appendix III to Part 257-Constituents for Detection Monitoring. One round of verification sampling was conducted for certain constituents on June 26, 2018.

Determination: A statistical evaluation was completed for all Appendix III detection monitoring constituents in accordance with the certified statistical method. The statistical evaluation did not identify any SSIs above background.

Attached to this memorandum are the following backup information:

Attachment 1: Sanitas™ Output:

Statistical evaluation output from Sanitas™ for the prediction limit analysis. This includes prediction limit plots, prediction limit background data, detection sample results, 1st verification re-sample results (when applicable), extra sample results for pH for wells which were re-sampled for verification, and a Prediction Limit summary table. Output documentation includes the analytical data used for the statistical analyses.

Attachment 2: Sanitas™ Configuration Settings:

Screen shots of the applicable Sanitas™ configuration settings for the statistical prediction limit analysis. This includes data configuration, output configuration, prediction limit configuration and other tests configuration.

Revision Number	Revision Date	Attachment Revised	Summary of Revisions


Montrose Generating Station
Determination of Statistically Significant Increases
CCR Landfill
September 11, 2018

ATTACHMENT 1

Sanitas™ Output

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. All background values (n = 8) were censored; limit is most recent reporting limit. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Boron Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 87.5% NDs. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Boron Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.794, Std. Dev.=0.2855, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9261, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Boron Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=6.576, Std. Dev.=0.415, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9214, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Boron Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	<0.2	
2/16/2016	<0.2	
5/23/2016	<0.2	
8/22/2016	<0.2	
11/8/2016	<0.2	
2/7/2017	<0.2	
5/1/2017	<0.2	
7/31/2017	<0.2	
5/14/2018		<0.2

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	<0.2	
2/16/2016	<0.2	
5/23/2016	<0.2	
8/22/2016	0.203	
11/8/2016	<0.2	
2/7/2017	<0.2	
5/2/2017	<0.2	
7/31/2017	<0.2	
5/14/2018		<0.2

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	5.08	
2/16/2016	5.04	
5/23/2016	5.17	
8/22/2016	4.62	
11/7/2016	4.84	
2/7/2017	4.62	
5/2/2017	4.35	
7/31/2017	4.63	
5/14/2018		4.39


Prediction Limit

Constituent: Boron (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	6.28	
2/16/2016	6.81	
5/23/2016	7.06	
8/22/2016	6.91	
11/7/2016	6.43	
2/7/2017	6.39	
5/2/2017	5.83	
7/31/2017	6.9	
5/14/2018		5.94

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.958, Std. Dev.=0.2791, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.939, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Boron Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=1.896, Std. Dev.=0.1145, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8853, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Boron Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=389.5, Std. Dev.=52.94, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9493, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=467.9, Std. Dev.=26.16, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8556, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	4.62	
2/16/2016	4.88	
5/23/2016	5.06	
8/22/2016	5.5	
11/7/2016	4.98	
2/7/2017	5.13	
5/2/2017	4.74	
7/31/2017	4.75	
5/14/2018		4.35

Prediction Limit

Constituent: Boron (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	2.02	
2/16/2016	2.03	
5/23/2016	2.02	
8/22/2016	1.89	
11/7/2016	1.85	
2/7/2017	1.84	
5/2/2017	1.78	
7/31/2017	1.74	
5/14/2018		1.73

Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	479	
2/16/2016	448	
5/23/2016	404	
8/22/2016	393	
11/8/2016	363	
2/7/2017	322	
5/1/2017	361	
7/31/2017	346	
5/14/2018		347


Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	469	
2/16/2016	481	
5/23/2016	473	
8/22/2016	502	
11/8/2016	481	
2/7/2017	427	
5/2/2017	430	
7/31/2017	480	
5/14/2018		453

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=348, Std. Dev.=23.71, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8221, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=431, Std. Dev.=15.9, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8323, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=424, Std. Dev.=41.08, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.917, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=407.6, Std. Dev.=23.86, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8546, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Calcium Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	373	
2/16/2016	372	
5/23/2016	355	
8/22/2016	353	
11/7/2016	353	
2/7/2017	314	
5/2/2017	310	
7/31/2017	354	
5/14/2018		340

Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	444	
2/16/2016	445	
5/23/2016	429	
8/22/2016	445	
11/7/2016	437	
2/7/2017	409	
5/2/2017	405	
7/31/2017	434	
5/14/2018		426

Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	454	
2/16/2016	470	
5/23/2016	474	
8/22/2016	440	
11/7/2016	412	
2/7/2017	392	
5/2/2017	381	
7/31/2017	369	
5/14/2018		421


Prediction Limit

Constituent: Calcium (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	427	
2/16/2016	426	
5/23/2016	412	
8/22/2016	431	
11/7/2016	407	
2/7/2017	367	
5/2/2017	376	
7/31/2017	415	
5/14/2018		412

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=81.88, Std. Dev.=8.982, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9113, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=50.24, Std. Dev.=2.703, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9098, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.395, Std. Dev.=0.2111, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9535, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=7.655, Std. Dev.=0.239, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9121, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	92.4	
2/16/2016	97.2	
5/23/2016	84.7	
8/22/2016	77.5	
11/8/2016	73.1	
2/7/2017	79	
5/1/2017	79.2	
7/31/2017	71.9	
5/14/2018		79

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	52.5	
2/16/2016	53	
5/23/2016	50.6	
8/22/2016	45.5	
11/8/2016	47.5	
2/7/2017	49	
5/2/2017	51.1	
7/31/2017	52.7	
5/14/2018		55

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	4.48	
2/16/2016	4.38	
5/23/2016	4.29	
8/22/2016	4.65	
11/7/2016	4.35	
2/7/2017	4.04	
5/2/2017	4.69	
7/31/2017	4.28	
5/14/2018		4.14


Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	7.33	
2/16/2016	7.65	
5/23/2016	7.64	
8/22/2016	7.9	
11/7/2016	7.67	
2/7/2017	7.35	
5/2/2017	7.67	
7/31/2017	8.03	
5/14/2018		7.16

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=13.19, Std. Dev.=1.635, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9029, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=47.18, Std. Dev.=1.738, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9293, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Chloride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2984, Std. Dev.=332.5, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8925, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=4458, Std. Dev.=236.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9764, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	15.6	
2/16/2016	15.5	
5/23/2016	13.3	
8/22/2016	11.7	
11/7/2016	12.5	
2/7/2017	12.5	
5/2/2017	13.3	
7/31/2017	11.1	
5/14/2018		12.3

Prediction Limit

Constituent: Chloride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	43.9	
2/16/2016	45.7	
5/23/2016	47.3	
8/22/2016	46.5	
11/7/2016	48.2	
2/7/2017	48	
5/2/2017	48.7	
7/31/2017	49.1	
5/14/2018		47.8

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III

Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	3540	
2/16/2016	3280	
5/23/2016	2910	
8/22/2016	3260	
11/8/2016	2710	
2/7/2017	2790	
5/1/2017	2760	
7/31/2017	2620	
5/14/2018		2560

Prediction Limit


Constituent: Dissolved Solids (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III

Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	4470	
2/16/2016	4280	
5/23/2016	4530	
8/22/2016	4810	
11/8/2016	4370	
2/7/2017	4640	
5/2/2017	4530	
7/31/2017	4030	
5/14/2018		4760

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2030, Std. Dev.=109.2, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9195, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=3076, Std. Dev.=169.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9267, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2596, Std. Dev.=330.8, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9393, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=2664, Std. Dev.=247.4, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9059, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Dissolved Solids Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III

Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	2100	
2/16/2016	2080	
5/23/2016	2180	
8/22/2016	2060	
11/7/2016	1990	
2/7/2017	1890	
5/2/2017	2080	
7/31/2017	1860	
5/14/2018		1970

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III

Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	2940	
2/16/2016	3140	
5/23/2016	2990	
8/22/2016	3350	
11/7/2016	3240	
2/7/2017	3150	
5/2/2017	2880	
7/31/2017	2920	
5/14/2018		3110

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III

Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	2820	
2/16/2016	2690	
5/23/2016	3010	
8/22/2016	2890	
11/7/2016	2270	
2/7/2017	2670	
5/2/2017	2350	
7/31/2017	2070	
5/14/2018		2820

Prediction Limit


Constituent: Dissolved Solids (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III

Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	2800	
2/16/2016	2750	
5/23/2016	2760	
8/22/2016	2990	
11/7/2016	2760	
2/7/2017	2580	
5/2/2017	2500	
7/31/2017	2170	
5/14/2018		2550

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 87.5% NDs. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Fluoride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.4123, Std. Dev.=0.07322, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9578, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary (after Aitchison's Adjustment): Mean=0.0625, Std. Dev.=0.0676, n=8, 50% NDs. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7877, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=0.5066, Std. Dev.=0.0944, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9541, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	0.12	
2/16/2016	<0.1	
5/23/2016	<0.1	
8/22/2016	<0.1	
11/8/2016	<0.1	
2/7/2017	<0.1	
5/1/2017	<0.1	
7/31/2017	<0.1	
5/14/2018		<0.1

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601
12/16/2015	0.45	
2/16/2016	0.406	
5/23/2016	0.276	
8/22/2016	0.435	
11/8/2016	0.446	
2/7/2017	0.399	
5/2/2017	0.36	
7/31/2017	0.526	
5/14/2018		0.483

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602
12/16/2015	0.148	
2/16/2016	<0.1	
5/23/2016	<0.1	
8/22/2016	0.114	
11/7/2016	<0.1	
2/7/2017	<0.1	
5/2/2017	0.122	
7/31/2017	0.116	
5/14/2018		0.113


Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	0.673	
2/16/2016	0.552	
5/23/2016	0.523	
8/22/2016	0.431	
11/7/2016	0.442	
2/7/2017	0.459	
5/2/2017	0.585	
7/31/2017	0.388	
5/14/2018		0.727
6/26/2018	0.568	1st verification re-sample

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.4879, Std. Dev.=0.05191, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8289, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.1933, Std. Dev.=0.02702, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9254, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Fluoride Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 8 background values. Well-constituent pair annual alpha = 0.02358. Individual comparison alpha = 0.01182 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: pH Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=5.429, Std. Dev.=0.1846, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9556, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	0.515	
2/16/2016	0.497	
5/23/2016	0.437	
8/22/2016	0.468	
11/7/2016	0.468	
2/7/2017	0.467	
5/2/2017	0.45	
7/31/2017	0.601	
5/14/2018		0.506

Prediction Limit

Constituent: Fluoride (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	0.246	
2/16/2016	0.156	
5/23/2016	0.166	
8/22/2016	0.191	
11/7/2016	0.203	
2/7/2017	0.187	
5/2/2017	0.197	
7/31/2017	0.2	
5/14/2018		0.226

Prediction Limit

Constituent: pH (S.U.) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	5.11	
2/16/2016	5.56	
5/23/2016	5.47	
8/22/2016	5.57	
11/8/2016	6.04	
2/7/2017	9.26	
5/1/2017	5.51	
7/31/2017	5.51	
5/14/2018		5.61


Prediction Limit

Constituent: pH (S.U.) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601	
12/16/2015	5.12		
2/16/2016	5.73		
5/23/2016	5.58		
8/22/2016	5.44		
11/8/2016	5.26		
2/7/2017	5.41		
5/2/2017	5.45		
7/31/2017	5.44		
5/14/2018		5.64	
6/26/2018		5.35	extra sample

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=6.099, Std. Dev.=0.4755, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7552, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 7/18/2018 4:09 PM View: LF CCR III
 Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.644, Std. Dev.=0.28, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9182, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 7/18/2018 4:09 PM View: LF CCR III
 Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=5.869, Std. Dev.=0.2585, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9645, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 7/18/2018 4:09 PM View: LF CCR III
 Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limits

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=5.58, Std. Dev.=0.2309, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7625, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: pH Analysis Run 7/18/2018 4:09 PM View: LF CCR III
 Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: pH (S.U.) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602	
12/16/2015	5.93		
2/16/2016	5.78		
5/23/2016	7.05		
8/22/2016	5.74		
11/7/2016	5.99		
2/7/2017	6.62		
5/2/2017	5.81		
7/31/2017	5.87		
5/14/2018		5.63	
6/26/2018		5.98	extra sample

Prediction Limit

Constituent: pH (S.U.) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	4.58	
2/16/2016	4.29	
5/23/2016	4.98	
8/22/2016	4.65	
11/7/2016	4.48	
2/7/2017	4.44	
5/2/2017	4.6	
7/31/2017	5.13	
5/14/2018		4.45
6/26/2018	4.44	extra sample

Prediction Limit

Constituent: pH (S.U.) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	5.79	
2/16/2016	5.51	
5/23/2016	6.3	
8/22/2016	5.67	
11/7/2016	6.04	
2/7/2017	6.1	
5/2/2017	5.72	
7/31/2017	5.82	
5/14/2018		5.7


Prediction Limit

Constituent: pH (S.U.) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605
12/17/2015	5.57	
2/16/2016	5.34	
5/23/2016	6.11	
8/22/2016	5.42	
11/7/2016	5.49	
2/7/2017	5.58	
5/2/2017	5.58	
7/31/2017	5.55	
5/14/2018		5.48
6/26/2018		5.6 extra sample

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2098, Std. Dev.=239.7, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.871, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=3328, Std. Dev.=193.7, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8736, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=1370, Std. Dev.=124.8, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9502, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=2524, Std. Dev.=202.3, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9133, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	506	506
12/16/2015	2290	
2/16/2016	2210	
5/23/2016	2330	
8/22/2016	2280	
11/8/2016	1930	
2/7/2017	1920	
5/1/2017	2170	
7/31/2017	1650	
5/14/2018		1960

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	601	601	
12/16/2015	3430		
2/16/2016	3200		
5/23/2016	3360		
8/22/2016	3590		
11/8/2016	3160		
2/7/2017	3180		
5/2/2017	3590		
7/31/2017	3110		
5/14/2018		3950	
6/26/2018		3190	1st verification re-sample

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	602	602	
12/16/2015	1540		
2/16/2016	1410		
5/23/2016	1490		
8/22/2016	1320		
11/7/2016	1370		
2/7/2017	1430		
5/2/2017	1190		
7/31/2017	1210		
5/14/2018		1660	
6/26/2018	1270		1st verification re-sample


Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	603	603
12/16/2015	2440	
2/16/2016	2470	
5/23/2016	2760	
8/22/2016	2710	
11/7/2016	2760	
2/7/2017	2500	
5/2/2017	2220	
7/31/2017	2330	
5/14/2018		2080

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=1935, Std. Dev.=258.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9413, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=2046, Std. Dev.=163.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8694, critical = 0.749. Kappa = 1.81 (c=7, w=4, 1 of 3, event alpha = 0.05132). Report alpha = 0.00188.

Constituent: Sulfate Analysis Run 7/18/2018 4:09 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	604	604
12/16/2015	2060	
2/16/2016	2080	
5/23/2016	1990	
8/22/2016	2290	
11/7/2016	2070	
2/7/2017	1810	
5/2/2017	1710	
7/31/2017	1470	
5/14/2018		2010

Prediction Limit

Constituent: Sulfate (mg/l) Analysis Run 7/18/2018 4:12 PM View: LF CCR III
Montrose Generating Station UWL Client: SCS Engineers Data: Montrose

	605	605	
12/17/2015	2180		
2/16/2016	1950		
5/23/2016	1880		
8/22/2016	2230		
11/7/2016	2280		
2/7/2017	2050		
5/2/2017	1910		
7/31/2017	1890		
5/14/2018		2510	
6/26/2018	1960		1st verification re-sample

Prediction Limit

Montrose Generating Station UWL Client: SCS Engineers Data: Montrose Printed 7/18/2018, 4:12 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Boron (mg/l)	506	0.2	n/a	5/14/2018	0.1ND	No	8	100	n/a	0.005912	NP Intra (NDs) 1 of 3
Boron (mg/l)	601	0.203	n/a	5/14/2018	0.1ND	No	8	87.5	n/a	0.005912	NP Intra (NDs) 1 of 3
Boron (mg/l)	602	5.31	n/a	5/14/2018	4.39	No	8	0	No	0.00188	Param Intra 1 of 3
Boron (mg/l)	603	7.327	n/a	5/14/2018	5.94	No	8	0	No	0.00188	Param Intra 1 of 3
Boron (mg/l)	604	5.463	n/a	5/14/2018	4.35	No	8	0	No	0.00188	Param Intra 1 of 3
Boron (mg/l)	605	2.104	n/a	5/14/2018	1.73	No	8	0	No	0.00188	Param Intra 1 of 3
Calcium (mg/l)	506	485.3	n/a	5/14/2018	347	No	8	0	No	0.00188	Param Intra 1 of 3
Calcium (mg/l)	601	515.2	n/a	5/14/2018	453	No	8	0	No	0.00188	Param Intra 1 of 3
Calcium (mg/l)	602	390.9	n/a	5/14/2018	340	No	8	0	No	0.00188	Param Intra 1 of 3
Calcium (mg/l)	603	459.8	n/a	5/14/2018	426	No	8	0	No	0.00188	Param Intra 1 of 3
Calcium (mg/l)	604	498.4	n/a	5/14/2018	421	No	8	0	No	0.00188	Param Intra 1 of 3
Calcium (mg/l)	605	450.8	n/a	5/14/2018	412	No	8	0	No	0.00188	Param Intra 1 of 3
Chloride (mg/l)	506	98.13	n/a	5/14/2018	79	No	8	0	No	0.00188	Param Intra 1 of 3
Chloride (mg/l)	601	55.13	n/a	5/14/2018	55	No	8	0	No	0.00188	Param Intra 1 of 3
Chloride (mg/l)	602	4.777	n/a	5/14/2018	4.14	No	8	0	No	0.00188	Param Intra 1 of 3
Chloride (mg/l)	603	8.088	n/a	5/14/2018	7.16	No	8	0	No	0.00188	Param Intra 1 of 3
Chloride (mg/l)	604	16.15	n/a	5/14/2018	12.3	No	8	0	No	0.00188	Param Intra 1 of 3
Chloride (mg/l)	605	50.32	n/a	5/14/2018	47.8	No	8	0	No	0.00188	Param Intra 1 of 3
Dissolved Solids (mg/l)	506	3586	n/a	5/14/2018	2560	No	8	0	No	0.00188	Param Intra 1 of 3
Dissolved Solids (mg/l)	601	4885	n/a	5/14/2018	4760	No	8	0	No	0.00188	Param Intra 1 of 3
Dissolved Solids (mg/l)	602	2228	n/a	5/14/2018	1970	No	8	0	No	0.00188	Param Intra 1 of 3
Dissolved Solids (mg/l)	603	3382	n/a	5/14/2018	3110	No	8	0	No	0.00188	Param Intra 1 of 3
Dissolved Solids (mg/l)	604	3195	n/a	5/14/2018	2820	No	8	0	No	0.00188	Param Intra 1 of 3
Dissolved Solids (mg/l)	605	3112	n/a	5/14/2018	2550	No	8	0	No	0.00188	Param Intra 1 of 3
Fluoride (mg/l)	506	0.12	n/a	5/14/2018	0.05ND	No	8	87.5	n/a	0.005912	NP Intra (NDs) 1 of 3
Fluoride (mg/l)	601	0.5448	n/a	5/14/2018	0.483	No	8	0	No	0.00188	Param Intra 1 of 3
Fluoride (mg/l)	602	0.1849	n/a	5/14/2018	0.113	No	8	50	No	0.00188	Param Intra 1 of 3
Fluoride (mg/l)	603	0.6775	n/a	6/26/2018	0.568	No	8	0	No	0.00188	Param Intra 1 of 3
Fluoride (mg/l)	604	0.5818	n/a	5/14/2018	0.506	No	8	0	No	0.00188	Param Intra 1 of 3
Fluoride (mg/l)	605	0.2422	n/a	5/14/2018	0.226	No	8	0	No	0.00188	Param Intra 1 of 3
pH (S.U.)	506	9.26	5.11	5/14/2018	5.61	No	8	0	n/a	0.01182	NP Intra (normality) ...
pH (S.U.)	601	5.763	5.095	6/26/2018	5.35	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	602	6.959	5.238	6/26/2018	5.98	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	603	5.151	4.137	6/26/2018	4.44	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	604	6.337	5.401	5/14/2018	5.7	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	605	5.998	5.162	6/26/2018	5.6	No	8	0	No	0.000...	Param Intra 1 of 3
Sulfate (mg/l)	506	2531	n/a	5/14/2018	1960	No	8	0	No	0.00188	Param Intra 1 of 3
Sulfate (mg/l)	601	3678	n/a	6/26/2018	3190	No	8	0	No	0.00188	Param Intra 1 of 3
Sulfate (mg/l)	602	1596	n/a	6/26/2018	1270	No	8	0	No	0.00188	Param Intra 1 of 3
Sulfate (mg/l)	603	2890	n/a	5/14/2018	2080	No	8	0	No	0.00188	Param Intra 1 of 3
Sulfate (mg/l)	604	2402	n/a	5/14/2018	2010	No	8	0	No	0.00188	Param Intra 1 of 3
Sulfate (mg/l)	605	2341	n/a	6/26/2018	1960	No	8	0	No	0.00188	Param Intra 1 of 3

Montrose Generating Station
Determination of Statistically Significant Increases
CCR Landfill
September 11, 2018

ATTACHMENT 2

Sanitas™ Configuration Settings

Exclude data flags:

Data Reading Options

- Individual Observations
- Mean of Each: Month
- Median of Each: Season

Non-Detect / Trace Handling...

Setup Seasons...

Automatically Process Resamples...

- Black and White Output
- Four Plots Per Page
 - Always Combine Data Pages...
 - Include Tick Marks on Data Page
 - Use Constituent Name for Graph Title
- Draw Border Around Text Reports and Data Pages
- Enlarge/Reduce Fonts (Graphs):
- Enlarge/Reduce Fonts (Data/Text Reports):
- Wide Margins (on reports without explicit setting)
- Use CAS# (Not Const. Name)
- Truncate File Names to Characters
- Include Limit Lines when found in Database...
- Show Deselected Data on Time Series ▾
- Show Deselected Data on all Data Pages ▾

- Prompt to Overwrite/Append Summary Tables
- Round Limits to Sig. Digits (when not set in data file)
- User-Set Scale
- Indicate Background Data
- Show Exact Dates
- Thick Plot Lines

Zoom Factor: ▾

- Output Decimal Precision
- Less Precision
 - Normal Precision
 - More Precision

Store Print Jobs in Multiple Constituent Mode

Printer: ▾

Test for Normality using Shapiro-Wilk/Francia at Alpha = 0.01

Use Non-Parametric Test when Non-Detects Percent > 50

Use Aitchison's Adjustment when Non-Detects Percent > 15

Optional Further Refinement: Use Aitchison's when NDs % > 50

Use Poisson Prediction Limit when Non-Detects Percent > 90

Transformation

Use Ladder of Powers

Natural Log or No Transformation

Never Transform

Use Specific Transformation: Natural Log

Use Best W Statistic

Plot Transformed Values

Deseasonalize (Intra- and InterWell)

If Seasonality Is Detected

If Seasonality Is Detected Or Insufficient to Test

Always (When Sufficient Data) Never

Always Use Non-Parametric

Facility

Statistical Evaluations per Year:

Constituents Analyzed:

Downgradient (Compliance) Wells:

Sampling Plan

Comparing Individual Observations

1 of 1 1 of 2 1 of 3 1 of 4

2 of 4 ("Modified California")

IntraWell Other

Stop if Background Trend Detected at Alpha = 0.05

Plot Background Data

Override Standard Deviation:

Override DF: Override Kappa:

Automatically Remove Background Outliers

2-Tailed Test Mode...

Show Deselected Data Lighter

Non-Parametric Limit = Highest Background Value

Non-Parametric Limit when 100% Non-Detects:

Highest/Second Highest Background Value

Most Recent PQL if available, or MDL

Most Recent Background Value (subst. method)

Rank Von Neumann, Wilcoxon Rank Sum / Mann-Whitney

- Use Modified Alpha...
- 2-Tailed Test Mode...

Outlier Tests

- EPA 1989 Outlier Screening (fixed alpha of 0.05)
- Dixon's at $\alpha=$ or if $n >$ Rosner's at $\alpha=$ Use EPA Screening to establish Suspected Outliers
- Tukey's Outlier Screening, with IQR Multiplier = Use Ladder of Powers to achieve Best W Stat
- Test For Normality at Alpha =
 - Stop if Non-Normal
 - Continue with Parametric Test if Non-Normal
 - Tukey's if Non-Normal, with IQR Multiplier = Use Ladder of Powers to achieve Best W Stat
- No Outlier If Less Than Times Median
- Apply Rules found in Ohio Guidance Document 0715
- Combine Background Wells on the Outlier Report...

Piper, Stiff Diagram

- Combine Wells Label Constituents
- Combine Dates Label Axes
- Use Default Constituent Names Note Cation-Anion Balance (Piper only)
- Use Constituent Definition File

Jared Morrison
December 20, 2022

ATTACHMENT 3
Groundwater Potentiometric Surface Maps

N:\KCP\PROJECTS\GROUNDWATER\DWG\MONTROSE\2018\2018 GROUNDWATER\27213168_18_MAY18_FIG2-V2.DWG




LEGEND:

- PERMITTED SOLID WASTE FACILITY BOUNDARY (APPROXIMATE)
- CCR LANDFILL UNIT BOUNDARY (APPROXIMATE)
- ▲ MW-506 (757.17) CCR GROUNDWATER MONITORING WELL SYSTEM
- GROUNDWATER POTENTIOMETRIC SURFACE ELEVATIONS (REPRESENTATIVE OF THIS UNIT)
- ← XX FT/YR GROUNDWATER FLOW DIRECTION AND CALCULATED FLOW RATE (FT/YR)

NOTES:

1. HORIZONTAL DATUM: MISSOURI STATE PLANE COORDINATE SYSTEM, WEST ZONE (NAD 83)
2. VERTICAL DATUM: NAVD 88
3. GOOGLE EARTH IMAGE DATED 10/20/2014.
4. APPROXIMATE BOUNDARY LOCATIONS PROVIDED BY AECOM.
5. WATER LEVEL MEASUREMENTS COMPLETED ON MAY 14, 2018.



REV.	DATE	CK. BY
1		
2		
3		
4		
5		

SHEET TITLE: **POTENTIOMETRIC SURFACE MAP**
CCR LANDFILL
 (MAY 2018)

PROJECT TITLE:
2018 GROUNDWATER MONITORING AND
CORRECTIVE ACTION REPORT ADDENDUM

CLIENT:
EVERGY METRO, INC.
MONTROSE GENERATING STATION
MONTROSE, MISSOURI

SCS ENGINEERS
 ENVIRONMENTAL CONSULTANTS AND CONTRACTORS
 8575 110th St. Ste. 100
 Overland Park, Kansas 66210
 PH: (913) 681-0030 FAX: (913) 681-0012


PROJ. NO. 27213168.18
 DESK. BY: RCW
 CHK. BY: JRR
 O/A. REV. BY: JRR
 PROJ. MGR. JRF

CADD FILE:
 27213168.18_MAY18_702--V2.DWG

DATE:
 12/20/22

FIGURE NO.
1

N:\KCP\PROJECTS\GROUNDWATER\DWG\MONTROSE\2018\2018 GROUNDWATER\27213168.18_NOV18_FIG2.DWG




LEGEND:

- PERMITTED SOLID WASTE FACILITY BOUNDARY (APPROXIMATE)
- CCR LANDFILL UNIT BOUNDARY (APPROXIMATE)
- ▲ MW-506 (757.17) CCR GROUNDWATER MONITORING WELL SYSTEM
- GROUNDWATER POTENTIOMETRIC SURFACE ELEVATIONS (REPRESENTATIVE OF THIS UNIT)
- ← XX FT/YR GROUNDWATER FLOW DIRECTION AND CALCULATED FLOW RATE (FT/YR)

NOTES:

1. HORIZONTAL DATUM: MISSOURI STATE PLANE COORDINATE SYSTEM, WEST ZONE (NAD 83)
2. VERTICAL DATUM: NAVD 88
3. GOOGLE EARTH IMAGE DATED 10/20/2014.
4. APPROXIMATE BOUNDARY LOCATIONS PROVIDED BY AECOM.
5. WATER LEVEL MEASUREMENTS COMPLETED ON NOVEMBER 19, 2018.



CK BY	-
REV	△
DATE	-

SHEET TITLE
POTENTIOMETRIC SURFACE MAP (NOVEMBER 2018)
CCR LANDFILL

PROJECT TITLE
2018 GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT ADDENDUM

CLIENT
EVERGY METRO, INC.
MONTROSE GENERATING STATION
MONTROSE, MISSOURI

SCS ENGINEERS	
ENVIRONMENTAL CONSULTANTS AND CONTRACTORS	
8575 W. 110th St. Ste. 100 Overland Park, Kansas 66210 PH: (913) 661-0030 FAX: (913) 661-0012	
PROJ. NO. 27213168.18	DWG. BY: TGW
TASK NO. JRR	CHK. BY: JRR
	PROJ. MGR: JRF
CADD FILE: 27213168.18_NOV18_FIG2.DWG	
DATE: 12/20/22	
FIGURE NO. 2	